

Vent Free Gas Fireplace Systems and Inserts Versatile Options To Match Your Lifestyle



ADD WARMTH AND LUXURY TO ANY ROOM

A Majestic vent free fireplace system gives you the freedom to install almost anywhere. And, with our diverse options ranging from compact models perfect for smaller rooms to larger models with more heating power, there's a vent free Majestic product that's right for you.



HIGHEST EFFICIENCY HEATING TO SAVE ENERGY

Vent free gas fireplaces, available in natural gas and propane designs, are a safe, green and energy efficient way to add heat to your home — in fact, they're 99.9% energy efficient. Because they are vent free, none of the heat gets lost up a vent, flue or chimney. Instead, fuel dollars get transformed into heat-warming energy. Plus, you'll always have the assurance of a heat source in the event of a power outage.

FREEDOM TO INSTALL ALMOST ANYWHERE

Because vent free fireplaces are designed to be installed and operated without a chimney, flue or vent, they can be installed in locations in your home where it would be impossible to install a vented fireplace. They provide the most economical installation, only requiring a connection to a gas line.

CONVENIENT ZERO CLEARANCE

Majestic vent free fireplaces allow for zero clearance installation, which means they may be installed flush against any combustible surface such as drywall or wood. This gives you added flexibility and helps save installation dollars when deciding where to install your fireplace, whether on an interior or exterior wall, or even in a corner.

(It is important to remember that the appliance should be sized to fit the area in which it is to be installed and must meet any additional regional or local requirements.)



Count On This All-in-One Customer Favorite

Chesapeake CFX Series

This best-selling model comes complete with firebox, strikingly realistic log set, decorative face and beautifully crafted Barrington cabinet — all ready to install! With the Chesapeake vent free system, it's never been easier to make your house a home.

Quick Look:

- ◆ Triple Play Burner System® with loose embers, glowing logs and yellow flames
- Up to 26,000 BTUs
- Available in 24" and 32" sizes
- Millivolt control (remote ready)

Interior Firebrick (Optional)



Tavern Brown Firebrick (shown on cover)

Cabinet Options



Barrington Dark Walnut Wall Cabinet (shown)



Unfinished Wall Cabinet



Easily Warm Larger Rooms

VFH Series

This full-size fireplace system provides ample heat for large rooms and also offers a variety of finishing options for a custom look.

Quick Look:

- ◆ Triple Play Burner System[®] with loose embers, glowing logs and yellow flames
- Removable unitized louver system
- ◆ 38,000 26,000 BTUs

- ◆ Fixed screen
- Concealed controls
- Black trim kit & louvers
- Available in 32", 36" and 42" sizes
- Millivolt control (remote ready)

Wall Cabinet shown in Honey Oak Also available in corner style

Interior Firebrick Options



Cottage Red Firebrick



Tavern Brown Firebrick (shown)

Trim Options



Stainless Steel Trim



Black Trim



Classic Faces

Additional Trim Option Optional radiant panel kits



Honey Oak Wall or Corner Cabinet



Dark Cherry Wall or Corner Cabinet



Unfinished Birch Wall Cabinet (Available in corner styles by special order.)



Unfinished Oak Wall Cabinet (Available in corner styles by special order.)



Barrington Dark Walnut Wall Cabinet



Barrington Unfinished Wall Cabinet

Add Cozy Comfort to Your Bedroom

DBX Series

Featuring a one-piece, two-log design with thermostat control, this fireplace system is ideal for adding the ambience of a beautiful fire to a smaller area.

Quick Look:

- Yellow Flame burner system
- Ceramic fiber log set
- ◆ 10,000 BTUs*
- Available in 24" size
- Built-in thermostat control
- Removable unitized louver system
- Includes black trim & louvers
- All cabinet options available in wall and corner configurations

Interior Firebrick



Tavern Brown



Honey Oak Wall or Corner Cabinet



Unfinished Oak Wall Cabinet (Available in corner styles by special order.)



maximum heat output from a vent free gas fireplace permitted in a bedroom installation. Dark Cherry Wall or Corner Cabinet



ADJUST DIEDA

Compact Style, Great Heating Ability

VFS Series

With its compact design, the VFS fireplace system is perfect for smaller rooms, including bedrooms, and provides up to 26,000 BTUs of heating power.

Quick Look:

- Triple Play Burner System® with loose embers, glowing logs and yellow flames
- Ceramic fiber log set
- ◆ 26,000 22,000 BTUs
- Accent light

- Available in 24" or 32" sizes
- Removable unitized louver system
- Millivolt control (remote ready)
- Includes black trim & louvers
- Cabinet options available in wall and corner configurations

Interior Firebrick (Optional)



Tavern Brown

Cabinet Options



Honey Oak Wall or Corner Cabinet



Dark Cherry Wall or Corner Cabinet



DBX Series

Unfinished Oak Wall Cabinet (Available in corner styles by special order.)



Barrington Dark Walnut Wall Cabinet



Barrington Unfinished Wall Cabinet

Specialty Option Ideal For Niches or Other Small Rooms

Parlor PL20 Fireplace System

The unique and versatile design of this system is a perfect solution for smaller spaces and corners where a traditional fireplace won't easily fit. With multiple face and brick options, this is a great way to add ambiance to any room.

Ceramic Fiber Log Set

- ◆ Available in 20" Size
- 20,000 BTUs

- (remote ready)
- ◆ Accent light with manual control

Millivolt control


Interior Liner Options







Tuscany Firebrick



Adobe Arched Firebrick



Cobbled Fieldstone Firebrick



shown with Dark Walnut corner cabinet

Decorative Face and Screen Options



Colonial Arch in Iron Age



Classic Arch in Textured Black All Parlor Arches are available in both Textured Black and Iron Age



Colonial Arch in Textured Black



Decorative Screen Front

Cabinet Option



Dark Walnut Cabinet (Available in wall and corner models; also available unfinished)

OPTIONAL ACCESSORIES

	CFX	VFH	DBX	VFS	PL	ISD
Tavern Brown Firebrick	Х	Х	Х	Х		
Cottage Red Firebrick		X				
Arched Firebrick					Х	
Stainless Steel Louvers		Х				
Black Face Plate			Х			X ²
Black & Stainless Steel Curved and Medium Trim		Х				
Classic Faces		Х				
Parlor Faces					Х	
Corner/Wall Cabinets	Standard	Х	Х	Х	Х	
BL024TB			Х			
BL024T	X1			X1		
BLOT	X1	Х		X1		
Multi-functional Ambient Technologies® Remote Controls	Х	Х		Х	Х	Х

¹⁾ VFS32 and CFX32 takes BLOT, VFS24 and CFX24 takes BLO24T

²⁾ ISD Black Face Plate is available in two sizes: 43"W x 33"H or 50"W x 36"H



Update Your Masonry Fireplace

ISD Insert Series

A great way to convert your wood burning masonry fireplace into a more efficient heating system, this easy-to-install vent free insert fits most standard masonry fireplaces with a minimum opening of 24" high, 33" wide and 16 1/2" deep. With 28,000 BTUs, it keeps up to 950 square feet warm and cozy.

Quick Look:

- ◆ Triple Play Burner System® with loose embers, logs and yellow flames
- Blazing Oak log set
- ◆ 28,000 BTUs

- Millivolt control (remote ready)
- ◆ Tavern Brown firebrick
- Removable unitized bottom louvers
- Standard blower

Interior Firebrick



Tavern Brown Firebrick (shown)

Trim Options



Black Face Plate (2 sizes)

Available in two sizes to attractively finish the gap between the masonry fireplace and the ISD Insert. Face Plate dimensions are: 43 $^{1\!/_{2}}$ W x 33" H $\,$ and 50 $^{1\!/_{4}}$ W x 36" H. At minimum, the face plate should extend at least 1/2" over the masonry opening.

CABINET DIMENSIONS

Product	Surround	Α	В	С	D	E	F	G	Н	- 1
STANDARD WA	LL CABINET MA	ANTELS (HE	ARTH INC	LUDED WIT	H CABINET	Γ)				
DBX24, 24VFS	WSH24	38 1/8"	14 7/8"	38"	13 ¾"	26 1/4"	24 ¾"	26 5/8"	35 5/8"	6 7/8"
32VFS	WSH32	52"	16 ¾"	48 1/4"	13"	34 1/8"	32 ¾"	30 7/8"	44 5/8"	6 7/8"
32VFHC	WSHGC32	57 ¾"	21"	49 ¾"	18"	39 1/4"	37 ¾"	35 ⁷ / ₈ "	52 1/4"	5"
36VFHC	WSHGC36	61 ½"	22 1/4"	49 ¾"	19 ³/ ₈ "	43 1/4"	41 ¾"	35 7/8"	56 1/4"	5"
STANDARD COF	NER CABINET	MANTELS	(HEARTH II	NCLUDED V	VITH CABIN	VET)				
DBX24, 24VFS	CSH24	46"	32 ½"	26 ¾"	38"	26 1/4"	24 ¾"	26 5/8"	36"	13 ¾"
32VFS	CSH32	56 3/8"	40"	32 5/8"	48 1/4"	34 1/8"	32 ¾"	30 7/8"	43 1/4"	18 5/8"
32VFHC	CSHGC32	62"	43 7/8"	35 5/8"	49 ¾"	39 1/4"	37 ¾"	35 7/8"	57 1/4"	5"
36VFHC	CSHGC36	67 1/2"	47 3/4"	39 1/8"	49 ¾"	43 1/4"	41 ¾"	35 7/8"	63"	5"

SOALUC	Сописов	07 72	41 %	39 /8	49 %	43 74	41 %	30 /8	03	0			
BARRINGTON											Max adj opening WxH	Min adj opening WxH	Max fireplace depth
24VFS, CFX24	BWC300	52 ½"	15"	44"	34 3/8"	5"	47 5/8"	30"	_	_	26 ½ X 27"	24" X	10 ½"
												23 1/2"	
32VFS, CFX32	BWC400	61 9/16"	18"	50 ¾"	34 3/8"	5"	47 5/8"	30"	_	_	35 ½ X	32" X	14"
											32 ¾"	29"	





VFH, DBX, VFS

Barrington



VFS, CFX

VENT FREE GAS FIREPLACE SYSTEMS

	Chesapeake CFX24	Chesapeake CFX32	
BTU / HR	22,000 - 17,000 NG / 22,000 - 17,000 LP	26,000 - 20,000 NG / 26,000 - 20,000 LP	
Actual Dimensions (Inc Cabinet)	52 ½"W x 44"H x 15"D	61 ⁹ / ₁₆ "W x 50 ³ / ₄ "H x 18 ¹ / ₄ "D	
Viewing Area	19 3/4" W x 11 3/4" H (232 sq in)	26" W x 15 1/4" H (396 sq in)	
Blower	Optional	Optional	
	32VFHC	36VFHC	42VFHC
BTU / HR (Millivolt Control)	38,000 - 26,000 NG / 34,000 - 26,000 LP	38,000 - 26,000 NG / 34,000 - 26,000 LP	38,000 - 26,000 NG / 34,000 - 26,000 LP
Dimensions (Actual)	37"W x 34 ½"H x 18 ½"D	41"W x 34 ½"H x 20 5/8"D	47"W x 34 ½"H x 20 5/8"D
Dimensions (Framing)	37 ¹ / ₄ "W x 35"H x 15 ³ / ₄ "D	41 1/4"W x 35"H x 17 3/4"D	47 ¹ / ₄ "W x 35"H x 17 ³ / ₄ "D
Front Opening	29 ⁷ / ₈ " W x 21 ³ / ₄ "H	34" W x 21 ³ / ₄ "H	40" W x 21 ³ / ₄ "H
Radiating or Circulating	Both	Both	Both
	24VFSC	32VFSC	DBX24C
BTU / HR (Millivolt Control)	22,000 - 17,000 NG / 22,000 - 17,000 LP	26,000 - 20,000 NG / 26,000 - 20,000 LP	_
BTU / HR (Thermostat Control)	_	_	10,000 NG & LP
Dimensions (Actual)	24 ½"W x 26 ½"H x 11 ½"D	32"W x 30"H x 13 3/8"D	24 ½"W x 26 ½"H x 11 %"D
Dimensions (Framing)	24 ³ / ₄ "W x 26 ³ / ₄ "H x 10 ¹ / ₂ "D	32 ½"W x 30 ¼"H x 12 ¼"D	24 ³ / ₄ "W x 26 ³ / ₄ "H x 10 ¹ / ₂ "D
Viewing Area	20" W x 11 3/4" H (234 sq in)	26" W x 15 1/4" H (396 sq in)	20" W x 11 3/4" H (234 sq in)
	Parlor PL20NV		
BTU/HR	20,000 - 14,500 NG/20,000 - 17,000 LP		
Dimensions (Actual)	19 ½"W x 31 ½"H x 10 ½"D		
Dimensions (Framing)	20"W x 32 ¹ / ₈ "H x 10 ¹ / ₁₆ "D		
Fireplace Opening	17 ¹ / ₄ "W x 22 ¹ / ₂ "H		
	ISD (Insert Only)	Small Face Plate	Large Face Plate
BTU / HR	28,000 - 19,000 NG / 28,000 - 23,000 LP	_	_
Dimensions (of Front)	33"W x 26 ³ / ₄ "H x 16 ¹ / ₂ "D	43 ¹ / ₄ "W x 33"H	50 ¹ / ₄ "W x 36"H
Minimum Firebox Opening	33 ½" W x 27 ½" H x 16" D x 22 ¾" RW	_	_
Viewing Area	27" W x 14 ½" H (392 sq in)	_	_
Heating Area	950 sq. ft	_	_

ACCESSORIES

Remotes and thermostats are available for all millivolt control models for added convenience.



Touch screen hand held ON/OFF remote



Thermostat ON/OFF remote control with 3-step flame height adjustment and 3-speed blower control with receiver



Programmable wireless wall thermostat with receiver



Variable thermostat controlled forced air blowers (135 cfm) are available for DBX, VFS, CFX and VFH models



YOUR STYLE, VOLIR MOME, VOLUBRIE

A brand of Monessen Hearth Systems Co. 149 Cleveland Drive, Paris, Kentucky 40361 majesticproducts.com















Your Majestic Dealer:





To avoid personal injury or property damage, the product described by this brochure must be installed, operated and maintained in strict compliance with the instructions packaged with the product and all applicable building or fire codes. Contact local building or fire officials about restrictions and installation inspection requirements. All photographs and drawings on this brochure are for illustrative purposes only and are not intended for, nor should they be used as a substitute for the instructions packaged with the unit. Appearance and specifications of the product are subject to change without notice.

©2011 Monessen Hearth Systems Co. 11031_0911

8208MAJ Ver.07

For more information about MHSC and Majestic efficient and environmentally friendly products, please visit majesticproducts.com