

Fiano[™]

Kitchen Faucet S-2630 with pull-out spout

Installation and Service Instructions



Model Numbers

S-2630,

S-2630-xxx

Note: xxx identifies location where alternative finish code is inserted when applicable.


Tools & Materials



☎ Need Help?

Contact Symmons customer service at (800) 796-6667, (781) 848-2250 Email: customerservice@symmons.com Monday - Friday 8:00 am - 7:30 pm EST

Please check Symmons website for technical help, the latest product information and warranty policy. www.symmons.com/service




Installation Instructions


Caution: If replacing an older faucet ensure water supply is turned OFF before removing and then turn faucet handles ON to relieve water pressure.


Step 1 Place and align deck plate (optional)

Typically used to cover existing holes when replacing faucet. Install as required.




Step 2 Attach faucet assembly to deck







Step 3 Connect pull-out spout hose




Step 4 Attach counterweight to hose



Step 5 Connect supply lines



Step 6 Flush supply lines and check for leaks




Care of faucet finish


Clean finish area by using mild soap and water or non-abrasive cleaner and then rinse immediately. A non-abrasive wax may be used to preserve finish area.

Valve cartridge replacement


Remove handle, collar and cartridge




Replace cartridge




Replace collar and handle





Parts Assembly Fiano Kitchen Faucet with pull-out spout, S-2630



Symmons Industries, Inc. • 31 Brooks Drive • Braintree, MA 02184 (800) 796-6667, (781) 848-2250 • Fax (800) 961-9621, (781) 843-3849 Website: www.symmons.com • Email: customerservice@symmons.com

