

# Widespread Lavatory Faucet SLW-4212

## **Installation and Service Instructions**

#### **Model Numbers**

SLW-4212 Lavatory faucet with pop-up drain

#### **Alternate Finish Code**

append to part numbers when applicable

-STN Satin Nickel

-ORB Oil rubbed bronze

-- Chrome (standard)


### **Tools & Materials**



### **☎** Need Help?

Contact Symmons customer service at (800) 796-6667, (781) 848-2250 Email: customerservice@symmons.com Monday - Friday 8:00 am - 7:30 pm EST


Please check Symmons website for technical help, the latest product information and warranty policy. www.symmons.com/service




## **Installation Instructions**

**Caution**: If replacing an older faucet ensure water supply is turned OFF before removing. Then open faucet valves to relieve water pressure.


Step 1 Attach control valves to sink




Step 2 Attach faucet handles




Step 3 Attach faucet spout




Step 4 Connect water supply lines




Step 5 Fasten drain body to sink




Step 6 Install stopper and pivot rod to drain



Step 7 Connect lift rod and adjust linkage




Step 8 Flush water supply lines




### Care of faucet finish


Clean finish area by using mild soap and water or non-abrasive cleaner and then rinse immediately. A non-abrasive wax may be used to preserve finish area.

## Valve cartridge replacement





### Parts Assembly Oxford Widespread Lavatory Faucet, SLW-4212



Replacement Parts	
Part Number	Item
WSF-422L-KIT * includes two handle assemblies	handle screw collar fastener gasket
KN-114E (hot) OFF = CW KN-113E (cold) OFF = CCW	KN-113E identified by groove valve cartridge
LN-333-KIT FLR-102-1.5-KIT LN-742-KIT	aerator aerator flow rates 2.2 gpm (8.3L/min) 1.5 gpm (5.7L/min) 1.0 gpm (3.8L/min) removal key included

<sup>\*</sup> Note: When ordering replacements parts for faucets with an optional decorative finish, append appropriate three letter finish suffix code to part numbers marked with an asterisk (\*).

#### Ordering replacement parts:

Call Symmons customer service at (800) 796-6667, (781) 848-2250 M-F 8:00 am - 7:30 pm EST or check our website at www.symmons.com for a list of Symmons distributors.

Symmons Industries, Inc. ■ 31 Brooks Drive ■ Braintree, MA 02189 (800) 796-6667, (781) 848-2250 ■ Fax (800) 961-9621, 781-664-1300 Website: www.symmons.com ■ Email: customerservice@symmons.com

