


Damper Louver Submittal Sheet

3520 Series

Horizontal Mount Pressure Relief Damper (air up)



Model: 3520

Description: Horizontal Mount Pressure Relief Damper

(air up)

Standard Features:

■ Horizontal mount (air up) pressure relief

- Designed to open with negative or positive pressures for intake or exhaust air
- All aluminum construction
- Blade to blade linkage
- Foam blade edges to dampen noise
- Single blades on dampers with a height of 10" or less
- Blades run parallel to first dimension given
- 1/4" pivot pins in nylon bearings
- Minimum size 6"x6"
- Maximum size 24"x24"
- Mill Finish

Options:

- ☐ Adjustable counter balance arms mounted to center of blades. Adjustable weights can be positioned along arm for various opening pressures. Available only on dampers with multiple blades.
- ☐ Mounting flange
- ☐ Sleeves (contact factory for details)
- ☐ Fractional and exact O.D. dimensions

		Α
$\overline{\Box}$		 D
3	1	1
$\overline{\downarrow}$		
	AIRFLOW	
	NOMINAL -1/4 — (A)	
	3520	

3520			
Dimension (A)	Open Depth (D)		
6"	6 1/4"		
8"	8 1/4"		
10"	10 1/4"		
12"	7 7/8"		
14"	8 3/4"		
16"	7 1/2"		
18"	8 5/8"		
20"	7 3/4"		
24"	8 1/8"		

Additional Information:

Project / Location:	Submittal Notes
Engineer:	
Architect:	
Contractor:	

Last Revised: 1/12/2017