


mansfield

802

Luna™

Designer, Vitreous China
Above Counter Vessel



Features

- 17-1/2" Round Designer, above counter vessel
- Simplified Modern Design
- Available in White
- Outstanding protection—The Mansfield® limited lifetime warranty

Model 802
(Less faucet, drain
assembly and supply)

802

17-1/2" Round Designer, above counter vessel.
Complete with template and installation instructions.
Less faucet, drain assembly and supply.



20 lbs. (9 kg)

LUNA ROUND VESSEL LAVATORY

Model # ~~1802~~ **802**

802

PARED TERMINADA - FINISHED WALL



PISO TERMINADO - FINISHED FLOOR

NOTE: rough-in measurements may vary + / - 1/4"

IMPORTANT:
DIMENSIONS OF FIXTURES ARE NOMINAL
AND MAY VARY WITHIN THE RANGE OF
TOLERANCES ESTABLISHED BY
ASME A 112. 19.2 / CSA B45.1

Template on 802

ATTENTION:

TO INSTALL THIS LAV,
CUT A CIRCLE OF
DIAMETER 13 3/16"
OVER THE
INSTALLATION
SURFACE

802




Luna™

Designer, Vitreous China, Above Counter Vessel

Technical Information

Specifications

Material	Vitreous China
Size	17-1/2" Round (444 mm)
Basin	9-7/8" X 13-3/16" X 3-1/2" (248 mm X 338 mm X 89 mm)
Shipping Weight	23 lbs. (10 kg)
Warranty	Limited Lifetime



These dimensions are nominal and subject to change without prior notice.

Fixture performance and specifications meet or exceed, ASME/CSA A112.19.2 standards and other state and local codes.

Note: Install this product according to the installation guide. Fixture dimensions are nominal and conform to tolerances in ASME/CSA A112.19.2 Standards.

See our complete line of acrylic and vitreous china bathroom fixtures, plastic tank trim and plumbing products.

mansfield

Mansfield Plumbing Products LLC • Customer Service Toll Free 877-850-3060 • Fax 419-938-6234
Website: www.mansfieldplumbing.com • Email: custserv@mansfieldplumbing.com

Form No. M802 Printed in U.S.A. 3/10
© 2010 Mansfield Plumbing Products LLC

VESSEL/ DROP-IN LAVATORY INSTALLATION INSTRUCTIONS

Recommended Tools and Materials




Adjustable Wrench




Putty Knife



Drill




Screwdrivers - +




Tape Measure

Washable marker



Caulk gun and caulk




Hacksaw

Jig Saw




Pipe Wrench

1.




Set the lavatory over the installation surface. If lavatory includes the template, cut the hole according to the instructions. If the template isn't included cut a hole (1-3/4", 45mm) for the drain

2.




If your lavatory includes the template printed on the box (or in a sheet of paper), set it over the installation surface and cut the surface using a jig saw (if the material allows)

3.




Set the lavatory in position, ensure the proper alignment between lavatory and installation surface.

4.




Secure lavatory to installation surface by tightening the collar of the drain assembly. Be sure to put all pieces in the proper position.
DO NOT OVERTIGHTEN

5.



Connect the drain assembly and p-trap according to the manufacturers instructions.

6.



For vitreous china, put a caulk bead where the lavatory and installation surface meet.

CARE AND MAINTENANCE INSTRUCTIONS

BPCS:298256

Your new lavatory provides you with years of service. Cleaning should be done on a regular basis. Use of scouring cleaner may remove the glaze on the basin and are not recommended. Wipe all outside surfaces with a soapy water solution and clean basin area with a non-abrasive type cleaner. Use of cleaners containing chlorine will cause damage and are not recommended.

Mansfield Plumbing Products LLC Sales. Service Toll-Free 877-850-3060. Fax 419-938-6234

Website: www.mansfieldplumbing.com E-mail: custserv@mansfieldplumbing.com