

NIPPLES


PRESSURE FITTINGS

INCLUDES: Schedule 80 - PVC Nipples, Schedule 80 - CPVC Nipples, Polyethylene Cut-Off Nipples

POLY CUT-OFF NIPPLES, CPVC SCH 80 NIPPLES

FOUR-IN-ONE "MULTI LENGTH" POLYETHYLENE CUT-OFF NIPPLES

- The Four-In-One Nipple allows you to choose which size you need with just one nipple
- Reduce inventory
- No waste
- Reduce contractor down-time



1/2 x 6 and 3/4 x 6, MPT x MPT, Cut-Off Nipple



3/4 x 1/2 x 6, MPT x MPT, Cut-Off Nipple

POLYETHYLENE "FOUR IN ONE" CUT-OFF NIPPLE

Part No	Size (in)	Style	Color	Ctn Qty
M481-005	1/2 x 6	MPT x MPT	Green	50
M481-007	3/4 x 6	MPT x MPT	Green	25
M481-101	3/4 x 1/2 x 6	MPT x MPT	Green	50
M491-005	1/2 x 1/2 x 7 1/2	MPT x FPT	Brown	25



1/2 x 6 and 3/4 x 6, MPT x MPT, Cut-Off Nipple

POLYETHYLENE STANDARD QUALITY CUT-OFF NIPPLE

Part No	Size (in)	Style	Color	Ctn Qty
M461-005	1/2 x 6	MPT x MPT	Black	50
M461-007	3/4 x 6	MPT x MPT	Black	25



SCHEDULE 80 REDUCING NIPPLE

Part No	Size (in)	Style	Ctn Qty
882-101	3/4 x 1/2	TBE	50



CPVC SCHEDULE 80 NIPPLES

Part No	Size	Style	Ctn Qty	Code
9120-040	2 X 4	TOE	10	04
9120-060	2 X 6	TOE	10	04

9205-011	1/2 X CLOSE	TBE	50	04
9205-020	1/2 X 2	TBE	50	04
9205-030	1/2 X 3	TBE	50	04
9205-040	1/2 X 4	TBE	50	04
9205-050	1/2 X 5	TBE	50	04
9205-060	1/2 X 6	TBE	50	04

9207-013	3/4 X CLOSE	TBE	50	04
9207-020	3/4 X 2	TBE	50	04
9207-030	3/4 X 3	TBE	50	04
9207-040	3/4 X 4	TBE	50	04
9207-050	3/4 X 5	TBE	50	04
9207-060	3/4 X 6	TBE	50	04
9207-080	3/4 X 8	TBE	50	04

9210-015	1 X CLOSE	TBE	50	04
9210-020	1 X 2	TBE	50	04
9210-030	1 X 3	TBE	50	04

TBE = Threaded Both Ends
TOE = Threaded One End
* Molded

CPVC SCHEDULE 80 NIPPLES (con't)

Part No	Size	Style	Ctn Qty	Code
9210-050	1 X 5	TBE	25	04
9210-060	1 X 6	TBE	25	04
9210-120	1 x 12	TBE	50	04

9212-016	1 1/4 X CLOSE	TBE	25	04
9212-020	1 1/4 X 2	TBE	25	04
9212-030	1 1/4 X 3	TBE	25	04
9212-040	1 1/4 X 4	TBE	25	04
9212-050	1 1/4 X 5	TBE	25	04
9212-060	1 1/4 X 6	TBE	25	04

9215-017	1 1/2 X CLOSE	TBE	25	04
9215-020	1 1/2 X 2	TBE	25	04
9215-060	1 1/2 X 6	TBE	25	04
9215-120	1 1/2 X 12	TBE	25	04
9215-240	1 1/2 x 24	TBE	25	04

9220-020	2 x CLOSE	TBE	10	04
9220-030	2 x 3	TBE	10	04
9220-060	2 X 6	TBE	10	04
9220-120	2 X 12	TBE	15	04

9230-060	3 x 6	TBE	5	04
----------	-------	-----	---	----

PVC SCH 80 NIPPLES



TBE = Threaded Both Ends
TOE = Threaded One End
* Molded

PVC SCHEDULE 80 NIPPLES

Uniform Part Numbers				
TBE	TOE	Size (IN)	QTY	TBE
202-009	—	¼ X CLOSE	50	1.42
202-015	—	¼ X 1½	50	1.59
202-025	—	¼ X 2½	50	1.76

203-020	—	⅜ X 2	50	1.03
203-030	—	⅜ X 3	50	1.21

205-011*	105-011	½ X 1⅛ CLOSE	50	0.93
205-015	—	½ X 1½	50	0.99
205-020*	105-020	½ X 2	50	0.99
205-025*	105-025	½ X 2½	50	1.03
205-030*	105-030	½ X 3	50	1.15
205-035	—	½ X 3½	50	1.15
205-040	105-040	½ X 4	50	1.25
205-045	—	½ X 4½	50	1.25
205-050	105-050	½ X 5	50	1.47
205-055	—	½ X 5½	50	1.47
205-060	105-060	½ X 6	50	1.65
205-080	105-080	½ X 8	50	1.92
205-100	105-100	½ X 10	50	2.31
205-120	105-120	½ X 12	50	2.61
205-160	105-160	½ X 16	50	3.14
205-180	105-180	½ X 18	50	3.56
205-240	105-240	½ X 24	50	4.28
205-300	105-300	½ X 30	50	8.93
205-360	105-360	½ X 36	50	14.14
205-480	105-480	½ X 48	50	15.19

207-013*	107-013	¾ X 1⅜ CLOSE	50	0.99
207-015	—	¾ X 1½	50	0.99
207-020*	107-020	¾ X 2	50	1.03
207-025	—	¾ X 2½	50	1.03
207-030*	107-030	¾ X 3	50	1.21
207-035	—	¾ X 3½	50	1.21
207-040*	107-040	¾ X 4	50	1.45
207-045	—	¾ X 4½	50	1.45
207-050*	107-050	¾ X 5	50	1.72
207-060*	107-060	¾ X 6	50	1.97
207-080*	107-080	¾ X 8	50	2.34
207-100*	107-100	¾ X 10	50	2.80
207-120	107-120	¾ X 12	50	3.14
207-160	107-160	¾ X 16	50	4.03
207-180	107-180	¾ X 18	50	4.22
207-240	107-240	¾ X 24	25	5.38
207-300	107-300	¾ X 30	25	10.01
207-360	107-360	¾ X 36	25	12.37
207-480	107-480	¾ X 48	25	16.19

210-015*	110-015	1 X 1½ CLOSE	50	1.45
210-020*	110-020	1 X 2 SHORT	50	1.53
210-030*	110-030	1 X 3	50	1.77
210-035	—	1 X 3½	50	1.77
210-040*	110-040	1 X 4	50	2.08
210-045	—	1 X 4½	50	2.08

Uniform Part Numbers

TBE	TOE	Size (IN)	QTY	TBE
210-050*	110-050	1 X 5	50	2.61
210-055	—	1 X 5½	50	2.61
210-060*	110-060	1 X 6	50	2.86
210-075	—	1 X 7½	50	3.35
210-080*	110-080	1 X 8	50	3.35
210-100*	110-100	1 X 10	50	4.03
210-120	110-120	1 X 12	50	4.52
210-160	110-160	1 X 16	50	5.78
210-180	110-180	1 X 18	50	6.46
210-240	110-240	1 X 24	20	7.76
210-300	110-300	1 X 30	20	15.85
210-360	110-360	1 X 36	20	30.34
210-480	110-480	1 X 48	20	37.23

212-016	112-016	1¼ X 1⅝ CLOSE	25	1.84
212-020	112-020	1¼ X 2	25	1.95
212-025	112-025	1¼ X 2½	25	1.95
212-030	112-030	1¼ X 3	25	2.34
212-035	—	1¼ X 3½	25	2.34
212-040	112-040	1¼ X 4	25	2.67
212-045	—	1¼ X 4½	25	2.67
212-050	112-050	1¼ X 5	25	3.22
212-055	—	1¼ X 5½	25	3.22
212-060	112-060	1¼ X 6	25	3.57
212-080	112-080	1¼ X 8	25	4.28
212-100	112-100	1¼ X 10	25	5.00
212-107	—	1¼ X 10¾	25	9.69
212-120	112-120	1¼ X 12	25	5.68
—	112-168	1 x 1¼	10	—

215-017*	115-017	1½ X 1¾ CLOSE	25	2.31
215-020*	115-020	1½ X 2 SHORT	25	2.46
215-025*	115-025	1½ X 2½	25	2.61
215-030*	115-030*	1½ X 3	25	2.86
215-040*	115-040	1½ X 4	25	3.29
215-050	115-050	1½ X 5	25	3.76
215-060	115-060	1½ X 6	25	4.28
215-080*	115-080	1½ X 8	25	5.14
215-100	115-100	1½ X 10	25	5.94
215-120	115-120	1½ X 12	25	6.80
215-180	115-180	1½ X 18	25	22.13
215-240	115-240	1½ X 24	25	27.92
215-360	—	1½ x 36	10	35.15

220-020*	120-020	2 X 2 CLOSE	10	3.01
220-025	120-025	2 X 2½ SHORT	10	3.35
220-030*	120-030	2 X 3	10	3.57
220-035	—	2 x 3½	10	5.57
220-040*	120-040	2 X 4	10	4.15
220-045	—	2 x 4½	10	4.87
220-050	120-050	2 X 5	10	4.87
220-055	—	2 x 5½	10	4.87
220-060	120-060	2 X 6	10	5.46
220-080	120-080	2 X 8	10	6.67
220-100	120-100	2 X 10	10	7.85
220-120	120-120	2 X 12	15	9.02
220-140	120-140	2 X 14	10	17.47
220-160	120-160	2 X 16	10	33.76
220-180	120-180	2 X 18	10	40.33
220-240	120-240	2 X 24	10	37.80
220-360	—	2 x 36	5	40.75

PVC SCH 80 NIPPLES (con't)



TBE = Threaded Both Ends
TOE = Threaded One End
* Molded

PVC SCHEDULE 80 NIPPLES (con't)

Uniform Part Numbers				
TBE	TOE	Size (IN)	QTY	TBE
225-025	125-025	2½ X 2½ CLOSE	5	8.59
225-030	125-030	2½ X 3 SHORT	5	9.06
225-040	125-040	2½ X 4	5	10.39
225-050	125-050	2½ X 5	5	12.13
225-060	125-060	2½ X 6	5	13.56
225-080	125-080	2½ X 8	5	16.19
225-100	125-100	2½ X 10	5	19.58
225-120	125-120	2½ X 12	10	22.37

Uniform Part Numbers				
230-026	130-026	3 X 2½ CLOSE	5	9.82
230-030	130-030	3 X 3 SHORT	5	10.51
230-040	130-040	3 X 4	5	12.42
230-050	130-050	3 X 5	5	14.33
230-060	130-060	3 X 6	5	16.09
230-080	130-080	3 X 8	5	19.98
230-100	130-100	3 X 10	5	23.77
230-120	130-120	3 X 12	5	26.99
230-180	130-180	3 X 18	5	70.98

240-028	140-028	4 X 2½ CLOSE	5	16.09
240-040	140-040	4 X 4 SHORT	5	16.85
240-050	140-050	4 X 5	5	19.06
240-060	140-060	4 X 6	5	19.18
240-080	140-080	4 X 8	5	25.63
240-090	—	4 X 9	5	27.54
240-100	140-100	4 X 10	5	30.07
240-120	140-120	4 X 12	5	35.20

LASCO® Fittings, Inc.

CUSTOMER SERVICE
Phone: (800) 776-2756 | Fax: (731) 772-0835
Email: customerservice@lascofittings.com
www.lascofittings.com


STANDARDS AND SPECIFICATIONS – Schedule 80 Nipples

- ASTM D-2464 – Threaded Poly (Vinyl Chloride) (PVC) Plastic Pipe Fittings, Schedule 80.
- ASTM F-437 – Threaded Chlorinated Poly (Vinyl Chloride) (CPVC) Plastic Pipe Fittings.
- ASTM D-1784 – Rigid Poly (Vinyl Chloride) (PVC) Compounds and Chlorinated Poly (Vinyl Chloride) (CPVC) Compounds.
- ASTM D-1785 – Poly (Vinyl Chloride) (PVC) Plastic Pipe, Schedules 40, 80, and 120.
- MATERIAL – LASCO Schedule 80 Fittings are produced from PVC Type 1, Grade 1, Cell Classification 12454-B. LASCO CPVC Fittings are produced from Type IV, Grade 1, Cell Classification 23447-B.

Limited Warranty

LASCO Fittings, Inc. products are warranted to be free from manufacturing defects in materials and workmanship. They are warranted against rot, rust, and electrolytic corrosion for a period of three years from date of installation. If LASCO products prove defective due to manufacturing defects in material or workmanship during that period, the manufacturer will provide new replacement units of the same type and size. No remedy will be granted under this warranty if LASCO products are not used strictly in accordance with LASCO's directions with respect to use and storage or if the products have been modified in any way. THE MANUFACTURER'S LIABILITY UNDER EXPRESSED OR IMPLIED WARRANTY OR FOR ANY REASON IS LIMITED TO FURNISHING REPLACEMENT UNITS OR GRANTING A CREDIT FOR DEFECTIVE UNITS. NO LABOR EXPENSE OR CONSEQUENTIAL DAMAGES WILL BE PAID BY LASCO. THIS WARRANTY IS IN LIEU OF ALL OTHER GUARANTEES AND WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY AND FITNESS FOR PURPOSE, EXCEPT FOR ANY WARRANTIES IMPLIED BY LAW FOR NONCOMMERCIAL CONSUMERS. ANY SUCH WARRANTIES ARE LIMITED TO THE DURATION OF THIS WRITTEN WARRANTY.

- DO NOT USE LASCO FITTINGS FOR COMPRESSED AIR OR GASES.
- DO NOT TEST PVC PIPING SYSTEMS WITH COMPRESSED AIR OR GASES.
- DO NOT USE FITTINGS WITH LIQUIDS NOT RECOMMENDED BY LASCO.
- MODIFICATIONS OF FITTINGS VOIDS THE WARRANTY.



WARNING:
USE OF COMPRESSED AIR OR GAS IN PVC/CPVC PIPE AND FITTINGS CAN RESULT IN EXPLOSIVE FAILURES AND CAUSE SEVERE INJURY OR DEATH.