

NuTone®

General Product Catalogue

All Sales Channels



Nutone

TABLE OF CONTENTS

BROAN-NUTONE CANADA

1140 Tristar Drive
Mississauga Ontario L5T 1H9

CUSTOMER SERVICE

Phone: 905-670-2500
1-877-221-7517 (Wholesale)
1-877-221-7518 (Retail)
Fax: 905-795-8311
1-800-795-7829

CONSUMER CONTACT EMAIL:
info@broan-nutone.ca

CONFIDENTIAL DISTRIBUTOR EMAIL:

RMA Desk:
rma&depot@broan-nutone.ca

Order Desk:
BNC-OrderDesk@broan-nutone.ca

Technical Assistance:
BNC-Techassist@broan-nutone.ca

GENERAL TERMS AND CONDITIONS OF SALE.....	4
--	----------

UNDER CABINET RANGE HOODS.....	6
---------------------------------------	----------

WS3 SERIES.....	6
WS2 SERIES.....	6
WS1 SERIES.....	6
NTM SERIES.....	6
WA SERIES.....	7
SM SERIES.....	7
RL SERIES.....	7
RLC SERIES.....	8
PM SERIES.....	8
ACCESSORIES.....	8
REPLACEMENT FILTERS.....	9

VENTILATION FANS	10
-------------------------------	-----------

QTXEN	10
QTREN.....	11
QTRN	11
QUIETTEST®.....	12
DECORATIVE	12
DELUXE	13
VALUE TEST	14
COMBINATION UNITS -	
HEATER, FAN, LIGHT.....	14
RECESSED FAN/LIGHT	14
ACCESSORIES AND PARTS	15
DUCTS	15
TRANSITIONS	15
ELBOWS	15
INSTALLATION KITS	16
ROOF CAPS	16
WALL CAPS	16
WALL CONTROLS	16

IN-LINE FANS 17

IN-LINE FANS	17
ACCESSORIES FOR IN-LINE FANS.....	17
ATTIC FANS	17

CENTRAL VACUUMS 18

POWER UNITS	18
CENTRAL VACUUM KITS.....	18
BRUSHES	19
TOOL SETS.....	19
HOSES	19
ACCESSORIES.....	20
INLETS	20
INSTALLATION PARTS	21
INLET INSTALLATION KITS	22

IRONING CENTERS 23

IRONING CENTERS	23
CUSTOM DOORS	23
ACCESSORIES AND REPLACEMENT PARTS	23

DOOR CHIMES 24

DOOR CHIMES	24
WIRELESS DOOR CHIMES	25
BUILDER CHIME KITS	25
TRANSFORMERS AND ACCESSORIES	25
PUSHBUTTONS	26

INTERCOM SYSTEMS 27

MASTER STATIONS, CD CHANGERS & KITS.....	27
REMOTE STATIONS AND SPEAKERS	27
DOOR SPEAKERS FOR NM100 / NM200 SYSTEMS	28
ROUGH-INS	28
FRAMES AND RETROFIT FRAMES	29
CHIME MODULES, TRANSFORMERS & ACCESSORIES	29

GENERAL TERMS AND CONDITIONS OF SALE

ALL ORDERS ACCEPTED SHALL BE SUBJECT TO THE FOLLOWING CONDITIONS:

1. **BUYER'S ASSENT TO THESE TERMS AND CONDITIONS.** (a) Seller hereby objects to and rejects any and all different or additional terms or conditions contained in any order submitted to Seller by or on behalf of Buyer unless specifically agreed to in a writing signed by an officer of Seller. Under no other circumstances are any such different or additional terms to be considered a part of this Agreement. (b) No representative or agent of Seller has any authority to make any different or additional representations or warranties on behalf of Seller. (c) All contracts or orders are subject to acceptance and approval by the Seller at its main office.

2. **PRICES & PAYMENT TERMS.** Prices for the goods described herein (the "Goods") shall be as in effect at the time of shipment. The price is payable net thirty (30) days unless otherwise agreed upon in the commercial agreement. Interest shall be paid on demand on past due amounts at the rate of two percent (2%) per month or the highest lawful rate, whichever is less.

2.1. **ORDER CONFIRMATION, PRICE CHANGE & MINIMUM ORDERS.** When your order is placed with Broan-NuTone Canada, a "sales acknowledgement" is automatically faxed or emailed to you. This is to make sure that the following information is accurate: shipping address, unit cost, part number and quantities, ship date, shipping terms and your order number.

Upon receipt of our "sales acknowledgement", it is your responsibility to inform us immediately of any discrepancy. If no indication of discrepancy is received, your order will be processed as per acknowledgement. Do not hesitate to contact us for any modifications, i.e.: fax number, sales contact, etc.

Due to our "just-in-time" production process, Broan-NuTone Canada reserves the right to extend the time of delivery according to the quantity ordered. If this modification should occur, the shipping date will be changed accordingly on the "sales acknowledgement". Broan-NuTone Canada reserves the right to change prices and specifications without prior notice.

2.2. **MINIMUM ORDERS.** For any order under \$50 net, \$15 administrative fees will be charged, excluding service parts.

- Prepaid shipment: \$2 000 net or as per the commercial agreement (see description of Prepaid at item 3.1).

3. **SHIPPING & TRANSPORTATION.** (a) The price for the Goods does not include charges for freight, packaging, insurance, or federal, provincial or municipal taxes, all of which are the responsibility of Buyer. Prices are based on shipping the entire order at one time. (b) All shipping dates are estimates and do not guarantee a particular date of shipment. All schedules shall be subject to any reduction in plant capacity and any unavailability of materials or tooling. SELLER SHALL NOT BE LIABLE FOR ANY LOSSES OR DAMAGES (WHETHER INCIDENTAL, CONSEQUENTIAL OR OTHERWISE) RESULTING FROM ANY DELAYS IN SHIPPING OR DAMAGE OCCURRING DURING SHIPPING. (c) Seller may ship the Goods to Buyer's address as shown on the face hereof (the "Shipping Address") by any commercially reasonable means and may select the carrier and route. Delivery of the Goods by Seller to a carrier at Buyer's Plant shall constitute tender of delivery to Buyer for all purposes. All risk of loss with respect to the Goods shall pass to Buyer upon tender of delivery. Seller does not insure Goods against loss or damage in transit. (d) The products covered by this order are subject to an over-run or under-run not exceeding 5% of the quantity specified for any item.

3.1. **SHIPMENTS COLLECT:** All merchandise is carefully packaged to avoid damage in transit. The purchaser assumes full responsibility for shipments sent "collect", once the merchandise has been picked up at Broan-NuTone Canada by the transport carrier.

PREPAID: Broan-NuTone Canada is responsible for all freight claims on prepaid shipments. All damages and/or losses on prepaid shipments must be reported to Broan-NuTone Canada within 72 hours after the carrier has delivered the shipment. Upon reception of the merchandise, the customer (receiver) is responsible for counting the number of packages as well as the number of skids. Any irregularity, damage or shortage must be clearly specified on the bill of lading at the time of delivery or Broan-NuTone Canada will not be held responsible.

4. **BUYER'S RESPONSIBILITY FOR CHOICE AND USE OF GOODS.** Buyer acknowledges being fully aware of the inherent limits of performance and use of the Goods and of their maintenance requirements. Buyer has the ultimate responsibility to inform its purchaser(s) or the end-user(s) of the Goods of the aforesaid limits and requirements. Buyer is solely responsible for the choice of the type and model of unit being purchased and seller makes no representations as to suitability for use. Buyer acknowledges that the type and model chosen by the Buyer is based on the following criteria and will be used in a "Building" as defined below:

Building: All structures zoned and/or erected for the act, process or art of human or animal habitation and/or the storage or warehousing of goods.

Residential use: Dwelling, lodging, suite: Building, or part of a building, intended to act as either the domicile to one or several people which can include general sanitary, food consumption and rest facilities. Buildings of only one room or a group of rooms including those occupied by a tenant or owner; comprise the lodgings, the individual rooms of the motels, hotels, rooming/lodging houses, boarding/half-way/foster homes, dormitories, and suites, as well as the stores and the business establishments constituted by only one room in a dwelling.

Commercial use: Agricultural establishment, commercial establishment for assembly, care, or detention: Building or part of a building that does not contain a dwelling, situated on land dedicated to agriculture or farming and used primarily to shelter animals, or for the production, the storage or the treatment of agricultural or horticultural products or animal food. Building or part of a building, used for the display or retail of goods, professional or personal services, or commodities. Building, or part of a building used by persons gathering for civic activities, religious or political assembly, tourism, educational/vocational training, recreation or the consumption of food or drink. Building, or part of a building used to shelter persons of impaired physical or psychological states, persons requiring palliative care or medical treatments, or persons for reasons out of their control, cannot escape harm or threat of danger autonomously.

Industrial use: Building, or part of a building, used for the assembly, the manufacture, the creation, the treatment, the repair or the storage of products and combustible materials and that contain fuels that when ignited or exploded in sufficient quantity may constitute a risk of fire.

5. **CERTIFICATION OUTSIDE CANADA AND THE UNITED STATES.** Buyer hereby acknowledges purchasing Goods that are certified for use in Canada and/or the United States (depending on the certification) and undertakes to ensure that all Goods conform to certification criteria of any other state or country and will assume to the exoneration of Seller the recertification and/or other compliance requirements under the laws of that other state or country.

6. **INSPECTION AND ACCEPTANCE; RETURNED GOODS.** Buyer at its expense shall inspect the Goods immediately upon receipt at the Shipping Address and, within the following thirty (30) day period, Buyer shall be deemed to have irrevocably accepted the Goods. Goods may not be returned, and will not be accepted for return by Seller, without the prior written approval of Seller. All defective merchandise must be returned within thirty (30) days after its shipment by Broan-NuTone Canada. A twenty per cent (20%) handling charge will be made on all authorized and acceptable returned merchandise. There will be no handling charge on merchandise found upon Broan-NuTone Canada's inspection to be defective or on merchandise shipped by Broan-NuTone Canada in error.

7. **ACTS OF GOD; ADJUSTMENTS.** If performance by Seller is delayed or made impracticable or burdensome by any cause beyond Seller's control, including, without limitation, acts of God, fire, flood, explosion, vandalism, sabotage, riot, insurrection, severe weather, curtailment or termination of Seller's regular sources of supplies, inability to obtain or a delay in obtaining licenses, permits, materials or equipment, acts or omission of Buyer, its agents or representatives, shipping delays, strikes or other disputes involving Seller or its subcontractors or suppliers or any existing or future laws or acts of any government or regulatory body, then (i) Seller shall be excused from performance to the extent that and for so long as such performance is delayed or made impracticable or burdensome by such cause, and (ii) Seller may adjust the price of the Goods.

8. **CANCELLATION; STOP WORK.** (a) Orders are non-cancelable and Buyer shall not be relieved from any obligation under this Agreement without the prior written consent of Seller. (b) In the event of Buyer's default hereunder, Seller has the right to immediately cancel this Agreement, stop work, refuse to ship or stop delivery of any Goods, recover any losses or damages incurred by Seller as a result thereof, as well as seek any other remedy provided by law. Buyer's default means (i) Buyer's insolvency or the filing or institution of a proceeding under any bankruptcy, reorganization or similar law, by or against Buyer, (ii) an assignment for the benefit of creditors by Buyer, (iii) the appointment of a receiver, trustee or custodian for any of the property or assets of Buyer, and (iv) Buyer's otherwise being in default of any obligation to Seller hereunder or otherwise. (c) By submitting an order to Seller, Buyer warrants, represents and covenants that it is solvent now and will be solvent at shipment and agrees to notify Seller immediately in writing upon the occurrence of any of the events set forth in the foregoing Section 7.

9. **LIMITED WARRANTY.** Seller warrants the Goods to be free from defects in materials manufactured by Seller and in Seller's workmanship for a period of one (1) year after tender of delivery (the "Warranty Period"). THIS LIMITED WARRANTY (a) IS IN LIEU OF, AND SELLER DISCLAIMS AND EXCLUDES, ALL OTHER WARRANTIES, STATUTORY, EXPRESS OR IMPLIED, INCLUDING, WITHOUT LIMITATION, ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, OR OF CONFORMITY TO MODELS OR SAMPLES; (b) does not apply to any Goods which have been (i) repaired, altered or improperly installed; (ii) subjected to improper use or storage; (iii) used or incorporated with other materials or equipment, after Buyer or anyone using the Goods has or reasonably should have, knowledge of any defect or nonconformance of the Goods; or (iv) manufactured, fabricated or assembled by anyone other than Seller; (c) shall not be effective unless Buyer notifies Seller in writing of any purported defect or nonconformance within thirty (30) days after Buyer discovers or should have reasonably discovered such purported defect or nonconformance; and (d) shall only extend to Buyer and not to any subsequent buyers or users of the Goods. Buyer shall provide Seller access to the Goods as to which Buyer claims a purported defect or nonconformance. Upon request by Seller, Buyer shall, at its own risk and expense, promptly return the Goods in question to Seller's Plant.

10. **BUYER'S REMEDIES.** Seller's liability for any breach of this limited warranty is limited to either (i) repair or replacement of any nonconforming components of the Goods, or (ii) upon return of the nonconforming Goods, return of the amount paid therefore, whichever Seller shall elect. Seller's liability shall in no event be greater than the price of the item and shall not include any labor, shipping or other costs incurred in connection with any such repair, replacement, reinstallation or reshipment. Any nonconforming Goods returned to Seller must be accompanied by proof of purchase and the transportation of the Goods must be prepaid. Any Goods that are repaired or replaced by Seller shall be re-delivered to Buyer F.O.B. Seller's Plant and shall be warranted, subject to the terms hereof, until the expiration of the original Warranty Period. Notwithstanding the foregoing, Seller shall have no warranty obligations unless and until Buyer performs all its obligations hereunder, including payment in full of the purchase price. THE REMEDY SET FORTH IN THIS PARAGRAPH SHALL BE BUYER'S SOLE AND EXCLUSIVE REMEDY AGAINST SELLER AND BUYER WAIVES ALL OTHER REMEDIES AGAINST SELLER.

11. **INDEMNIFICATION.** Buyer shall defend, indemnify and hold harmless Seller and its shareholders, directors, officers, affiliates, predecessors, successors and assigns, from and against any and all claims, actions, causes of action, liabilities, liens, losses and costs (including, without limitation, the costs of litigation and attorneys' fees), relating to the Goods or any device, material or thing to which the Goods are attached or of which the Goods are made a part of within which the Goods are enclosed, regardless of whether Seller may be wholly, concurrently, partially, jointly or solely negligent or otherwise at fault.

12. **LIMITATION OF LIABILITY IN GENERAL.** Except as provided herein, in no event whatsoever shall Seller or any of its shareholders, directors, officers, affiliates, predecessors, successors and assigns, for any loss or damages of any kind, whether direct, incidental, consequential, exemplary, special or otherwise relating in any way to this Agreement or acts of omissions in connection herewith (including, without limitation, the performance or non-performance of this Agreement and the use of or the loss of use of any of the Goods or other property), regardless of whether Seller and/or others may be wholly, concurrently, partially, jointly or solely negligent or otherwise at fault.

13. **TIME LIMITATION ON ACTIONS; WAIVER.** (a) Any action by Buyer relating to this Agreement or the Goods must be commenced not later than one (1) year after tender of delivery of the Goods. If Buyer fails to commence any such action within such one (1) year, the action shall be deemed barred and Seller shall have no liability whatsoever to Buyer. (b) No failure of Seller to require strict performance by Buyer of this Agreement shall waive, affect or diminish any right of Seller to demand strict performance of this Agreement thereafter. The rights and remedies herein reserved to Seller shall be cumulative and in addition to any other rights and remedies provided by law.

14. **SELLER'S RIGHTS IN GOODS SOLD.** All merchandise remains the property of Seller until the purchase price has been fully paid.

15. **COSTS OF COLLECTION.** Should Seller be required to retain attorneys to recover any unpaid amount in capital and/or interest, Buyer will pay as a penalty an amount equal to twenty five per cent (25%) of the amounts there owed as compensation for the fees and disbursements incurred in the recovery, regardless of the actual amounts incurred by Seller.

16. **GOVERNING LAW; CONSENT TO JURISDICTION.** This Agreement shall be deemed to have been made under, and shall be construed and interpreted in accordance with, the substantive laws of Ontario, without regard to any choice of law rules or principles. Buyer hereby submits to the jurisdiction of the courts of the Province of Ontario, and said courts shall have exclusive jurisdiction and venue to adjudicate the rights and obligations of the parties relating in any manner to this Agreement.

17. **SEVERABILITY.** If any provision of this Agreement is held by any court to be invalid or unenforceable, such provision shall be deemed to be modified or deleted, but only to the extent necessary to enable that and the remaining provisions of this Agreement to be valid and enforceable.

18. **NO ASSIGNMENT.** Buyer may not assign any rights or obligations under this Agreement without prior written consent of Seller.

UNDER CABINET RANGE HOODS

WS3 SERIES

WS3 range hoods provide an elegant combination of smooth design, bright halogen lighting, 0.4 sone at normal speed, extra powerful 430 cfm boost mode and easy-clean DuPont Teflon® surfaces. HVI certified. Sones shown at normal setting - CFM shown at boost mode.



Part No.	Description	Width	CFM	Sone	Weight (lb.)	UPC
WS330BLC	Black on black	30"	430	0.4	30.75	055321521154
WS330SSC	Stainless steel with black trim	30"	430	0.4	30.75	055321521161
WS330WWC	White on white	30"	430	0.4	30.75	055321521123

WS2 SERIES

WS2 range hoods provide an elegant combination of smooth design, bright halogen lighting, 0.9 sone at normal speed, extra powerful 300 cfm high setting and easy-clean DuPont Teflon® surfaces. HVI certified.



Part No.	Description	Width	CFM	Sone	Weight (lb.)	UPC
WS230BLC	Black on black	30"	300	0.9	29.5	055321521109
WS230SSC	Stainless steel with black trim	30"	300	0.9	29.5	055321521116
WS230WWC	White on white	30"	300	0.9	29.5	055321521079

WS1 SERIES

WS1 range hoods provide an elegant combination of smooth design, bright halogen lighting, 1.5 sones at normal speed and extra powerful 220 cfm high setting. HVI certified.



Part No.	Description	Width	CFM	Sones	Weight (lb.)	UPC
WS130AAC	Almond on almond	30"	220	1.5	22.5	055321521048
WS130BLC	Black on black	30"	220	1.5	22.5	055321521055
WS130SSC	Stainless steel with black trim	30"	220	1.5	22.5	055321521062
WS130WWC	White on white	30"	220	1.5	22.5	055321521024

NTM SERIES

The NTM Series Twin Motors Range Hood meets the professional cooking needs of the serious at home chef. Its rounded edges and sleek design compliments any modern decor. 500 cfm, 4.1 sones (3 1/4" x 10" vertical discharge). HVI certified.



Part No.	Description	Width	CFM	Sone	Weight (lb.)	UPC
NTM30SS *	Stainless Steel	30"	500	4.1	36	055321500838
NTM30WH *	White on White	30"	500	4.1	36	055321500845

* until product last

WA SERIES

Most people use their range hoods less frequently because of a loud fan noise; that is why this new range hood series was developed. It has a patented air chamber design that reduces noise up to 40 percent over conventional hoods; 210 cfm, 5.0 sones (vertical discharge). HVI certified.



Part No.	Description	Width	CFM	Sones	Weight (lb.)	UPC
WA6530AA	Almond on almond	30"	210	5.0	20	784891620218
WA6530BL	Black on black	30"	210	5.0	20	784891620232
WA6530SS	Stainless steel with black trim	30"	210	5.0	20	784891620300
WA6530WW	White on white	30"	210	5.0	20	784891620348

SM SERIES

This hood is ideal for homeowners who cook occasionally, yet require a variable speed control for different types of cooking. Powerful 190 cfm, 7.0 sones (vertical discharge). HVI certified.



Part No.	Description	Width	CFM	Sones	Weight (lb.)	UPC
SM6530AL	Almond with black trim	30"	190	7.0	16	784891982880
SM6530BL	Black on black	30"	190	7.0	16	784891982897
SM6530SS	Stainless steel with black trim	30"	190	7.0	16	784891982934
SM6530WW	White on white	30"	190	7.0	16	784891982927

RL SERIES

Ideal for light cooking habits. Designed with simplicity in mind, this range hood provides the high quality you expect and the value you demand. 180 cfm, 7.0 sones (3 1/4" x 10" vertical discharge). HVI certified.



Part No.	Description	Width	CFM	Sones	Weight (lb.)	UPC
RL6124FAL	Almond with black trim	24"	180	7.5	14	784891983559
RL6124FWW	White on white	24"	180	7.5	14	784891983573
RL6130FAL	Almond with black trim	30"	180	7.5	14	784891983580
RL6130FWW	White on white	30"	180	7.5	14	784891983603
RL6130FSS	Stainless steel with black trim	30"	180	7.5	14	055321501019

UNDER CABINET RANGE HOODS

RLC SERIES

This hood is for ducted operation only. 160 cfm, 6.5 sones (vertical or horizontal discharge). HVI certified.



Part No.	Description	Width	CFM	Sones	Weight (lb.)	UPC
RL6130WWC	White on white - ducted only	30"	160	6.5	14	784891988301

PM SERIES

The Power Module series range hood features a fully enclosed design and multi-speed operation in your choice of two performance levels - 250 cfm, 390 cfm.



Part No.	Description	Width	CFM	Sones	Weight (lb.)	UPC
PM250	Silver	20 1/2"	250	8.0	8.4	026715172955
PM390	Silver	20 1/2"	390	6.0	16	026715172962

ACCESSORIES

Part No.	Description	Size	Weight (lb.)	UPC
35	Wall hanging kit for mounting hoods to wall when cabinets are not used	-	2	026715021697
BP87	7" round damper (for 7" round duct installation) - PM250 only	-	0.5	40026715049897
LLMM7C	7" round transition (for 7" round duct installation)	-	1	784891310720
LT30	Liner 30", T-shape for PM250 and PM390 (cabinet 12" deep)	30" x 16 1/2" x 4"	7	026715172979
LT36	Liner 36", T-shape for PM250 and PM390 (cabinet 12" deep)	36" x 16 1/2" x 4"	8	026715172986
LB30	Liner 30", box shape for PM250 and PM390 (cabinet 18" deep)	28 7/16" x 17 1/4" x 4"	7	026715172993
LB36	Liner 36", box shape for PM250 and PM390 (cabinet 18" deep)	28 7/16" x 17 1/4" x 4"	8	026715173006
356NDK	Non-ducted kit for PM250	26 3/8" x 10 13/16" x 10 13/16"	-	026715174232
357NDK	Non-ducted kit for PM390	20 3/8" x 14 3/8" x 13 1/4"	-	026715174249

REPLACEMENT FILTERS

MODELS CURRENTLY AVAILABLE

Part No.	Description	Size	Std. Pack	UPC
BPS1FA30	Aluminum filter for WS1 - 30", 2 per pkg.	11 7/8" x 14 3/8"	1 pc.	026715138166
BPS2FA30	Aluminum filter for WS2 - 30", 2 per pkg.	11 7/8" x 14 3/8"	1 pc.	026715138180
BPS3FA30	Professional aluminum filter for WS3 - 30", 2 per pkg.	11 7/8" x 14 3/8"	1 pc.	026715138678
BPSF30	Charcoal filter for WS 30", 2 per pkg.	10 13/16" x 13 5/16"	1 pc.	026715138135
RFQTA	Aluminum filter for WA - 30"	11 1/4" x 12"	1 pc.	055321801119
RFQTC	Charcoal filter for WA - 30"	11 1/4" x 12"	1 pc.	055321801096
RLSM65	Aluminum filter for SM/RL/RLC 24" and 30"	8 1/2" x 11 1/4"	1 pc.	784891279690
FKM65	Charcoal filter for SM/RL 24" and 30"	8 1/2" x 11 1/4"	1 pc.	784891983276
B08087922	Aluminum filter for PM250/390	N/A	1 pc.	N/A
B08999040	Replacement charcoal filter for PM250/390	N/A	1 pc.	026715178520

REPLACEMENT FILTERS FOR OBSOLETE SERIES

Part No.	Description	Size	Std. Pack	UPC
NNFC	Aluminum filter for TN - 30" (single)	8 1/8" x 9"	1 pc.	784891999147
NN82F	Charcoal filter for TN - 30" 2 per pkg.	8 1/8" x 7 1/2"	1 pc.	784891994739
V280F	Aluminum filter H and V series - 30"	16 1/2" x 11 1/2"	1 pc.	784891999161
V90F	Aluminum filter V series - 30"	24" x 11 1/2"	1 pc.	784891999154
LLMMFC	Aluminum filter LL and MM series - 30"	11 1/2" x 8 1/2"	1 pc.	784891999130
LLMM62F	Non-ducted charcoal filter - 30"	7 1/2" x 10 1/2"	1 pc.	784891993381
LL62F	Non-ducted charcoal filter - 30" (with indicator strips)	11 1/2" x 8 1/2"	1 pc.	20784891993378
SR610080	Aluminum filter for PM44, 2 per pkg.	11" x 7" x 5"	1 pc.	027014022712
SR610081	Replacement charcoal filter for PM44, 2 per pkg.	11" x 7" x 5"	1 pc.	027014022729
R610049	Replacement charcoal filter for PM25	7 5/8" x 14 1/8"	1 pc.	027014021111
R610027	Aluminum filter for PM25	7 3/4" x 14 1/8"	1 pc.	027014021081

VENTILATION FANS

QTXEN

The QTXEN line brings simple elegance to any bath or powder room. Ultra quiet, you'll barely notice it - except of course, when you need just the right amount of ventilation and light at the touch of a switch.



Part No.	Description	CFM	Sones	Duct	Housing	Weight (lb.)	Std. Pack	UPC
QTXEN050C	ENERGY STAR® qualified, ultra-quiet ventilation fan	50	<0.3	6"	11 1/4" x 10 3/8" x 7 5/8"	13.2	1 pc.	055321600842
QTXEN080C	ENERGY STAR qualified, ultra-quiet ventilation fan	80	0.3	6"	11 1/4" x 10 3/8" x 7 5/8"	11.8	1 pc.	055321601207
QTXEN090C	ENERGY STAR qualified, ultra-quiet ventilation fan	90	0.6	6"	11 1/4" x 10 3/8" x 7 5/8"	13.2	1 pc.	055321600859
QTXEN090FLC	ENERGY STAR qualified, ultra-quiet ventilation fan with light and night-light (Q4 2011 Phase-Out)	90	0.6	6"	11 1/4" x 10 3/8" x 7 5/8"	16.2	1 pc.	055321600880
QTXEN110C	ENERGY STAR qualified, ultra-quiet ventilation fan	110	0.7	6"	11 1/4" x 10 3/8" x 7 5/8"	12.8	1 pc.	055321600866
QTXEN110FLC	ENERGY STAR qualified, ultra-quiet ventilation fan with light and night-light (Q4 2011 Phase-Out)	110	0.7	6"	11 1/4" x 10 3/8" x 7 5/8"	15.8	1 pc.	055321600897
QTXEN110H	Humidity Sensing, ENERGY STAR qualified, ultra-quiet ventilation fan	110	0.7	6"	11 1/4" x 10 3/8" x 7 5/8"	11.8	1 pc.	055321601214
QTXEN150C	ENERGY STAR qualified, ultra-quiet ventilation fan	150	1.4	6"	11 1/4" x 10 3/8" x 7 5/8"	13.2	1 pc.	055321600873
QTXEN150FLC	ENERGY STAR qualified, ultra-quiet ventilation fan with light and night-light (Q4 2011 Phase-Out)	150	1.4	6"	11 1/4" x 10 3/8" x 7 5/8"	16.2	1 pc.	055321600903

NuTone® LunAura™ Collection

Now you can have the benefits of quiet, powerful ENERGY STAR® qualified ventilation with a soft, beautiful, blue LED edge-glow night-light. Transform your bathroom into a serene, spa-like environment and navigate safely at night with just the touch of a switch.



Part No.	Description	CFM	Sones	Duct	Housing	Weight (lb.)	Std. Pack	UPC
QTNLEDA	ENERGY STAR qualified, ultra-quiet LED ventilation fan-light / night-light (round design)	110	0.7	6"	11 1/4" x 10 3/8" x 7 5/8"	13.6	1 pc.	026715199495
QTNLEDB	ENERGY STAR qualified, ultra-quiet LED ventilation fan-light / night-light (square design)	110	0.7	6"	11 1/4" x 10 3/8" x 7 5/8"	13.9	1 pc.	026715199501

QTREN

For style, quiet operation, power and convenience, the QTREN Series will meet your every need with its energy efficient performance.



Part No.	Description	CFM	Sones	Duct	Housing	Weight (lb.)	Std. Pack	UPC
QTREN070C	ENERGY STAR® qualified, quiet ventilation fan	70	0.8	4"	11 1/4" x 10 3/8" x 7 5/8"	11.8	1 pc.	055321601429
QTREN080C	ENERGY STAR qualified, quiet ventilation fan	80	0.8	4"	11 1/4" x 10 3/8" x 7 5/8"	11.8	1 pc.	055321601177
QTREN080H	Humidity Sensing, ENERGY STAR qualified, quiet ventilation fan	80	1.0	4"	11 1/4" x 10 3/8" x 7 5/8"	11.8	1 pc.	055321601702
QTREN090C	ENERGY STAR qualified, quiet ventilation fan	90	1.0	4"	11 1/4" x 10 3/8" x 7 5/8"	11.8	1 pc.	055321600910
QTREN2080WC	Select-Air two-speed, ENERGY STAR qualified, quiet ventilation fan with Two-Function Wall Control	40/80	<0.3/0.8	4"	11 1/4" x 10 3/8" x 7 5/8"	12.0	1 pc.	055321601764
QTREN080C2S	Select-Air two-speed, ENERGY STAR qualified, quiet ventilation fan (Wholesale Only)	40/80	<0.3/0.8	4"	11 1/4" x 10 3/8" x 7 5/8"	12.0	1 pc.	055321601740
QTREN090FLC	ENERGY STAR qualified, quiet ventilation fan with light and night-light	90	1.0	4"	11 1/4" x 10 3/8" x 7 5/8"	15.4	1 pc.	055321600934
QTREN100H	Humidity Sensing, ENERGY STAR qualified, quiet ventilation fan	100	1.5	4"	11 1/4" x 10 3/8" x 7 5/8"	11.8	1 pc.	055321601436
QTREN110C	ENERGY STAR qualified, quiet ventilation fan	110	1.3	4"	11 1/4" x 10 3/8" x 7 5/8"	11.8	1 pc.	055321600927
QTREN110FLC	ENERGY STAR qualified, quiet ventilation fan with light and night-light	110	1.3	4"	11 1/4" x 10 3/8" x 7 5/8"	15.4	1 pc.	055321600941

QTRN

The NuTone QTRN Series is an ideal design solution for any bath or powder room.



Part No.	Description	CFM	Sones	Duct	Housing	Weight (lb.)	Std. Pack	UPC
QTRN090C	Ventilation fan	90	1.0	4"	11 1/4" x 10 3/8" x 7 5/8"	12.4	1 pc.	055321600958
QTRN090LC	Ventilation fan with light and night-light	90	1.0	4"	11 1/4" x 10 3/8" x 7 5/8"	13.8	1 pc.	055321600972
QTRN110C	Ventilation fan	110	1.5	4"	11 1/4" x 10 3/8" x 7 5/8"	12.4	1 pc.	055321600965
QTRN110LC	Ventilation fan with light and night-light	110	1.5	4"	11 1/4" x 10 3/8" x 7 5/8"	13.8	1 pc.	055321600989

VENTILATION FANS

QUIETTEST®

The QT200 and QT300 are ideal for larger rooms, light commercial or central ventilation requirements and are rated for continuous duty.



Part No.	Description	CFM	Sones	Duct	Housing	Weight (lb.)	Std. Pack	UPC
QT200	QuietTest® fan	200	2.0	3 1/4" x 10"	14 1/4" x 10" x 9"	17.0	1 pc.	784891218859
QT300	QuietTest® fan	300	4.5	3 1/4" x 10"	14 1/4" x 10" x 9"	20.0	1 pc.	784891218903

DECORATIVE

The perfect blend of elegance and performance. It is an elegant glass light fixture and a powerful exhaust fan. Uses two standard incandescent bulbs - 60-watt maximum each (not included). HVI certified.



Part No.	Description	CFM	Sones	Duct	Housing	Weight (lb.)	Std. Pack	UPC
741SNNTC	Decorative fan-light with satin nickel finish and frosted melon glass globe (Q3 2011 Phase-Out)	70	3.5	4"	8 1/4" x 8" x 5 3/4"	10.9	1 pc.	026715148370
741WHNTC	Decorative fan-light with gloss white finish and frosted melon glass globe (Q3 2011 Phase-Out)	70	3.5	4"	8 1/4" x 8" x 5 3/4"	10.9	1 pc.	026715148387
8663RP	Decorative fan-light/night-light with white round grille	100	3.5	4"	9" x 9" x 6"	11.5	1 pc.	784891216152
8664RP	Decorative fan-light with white round grille	100	3.5	4"	9" x 9" x 6"	11.5	1 pc.	784891216251

DELUXE

Stylishly designed to accentuate any bathroom décor with centrifugal blower wheels and 4-pole motor for high capacity at low sound levels. Built-in mounting ears for quick, sturdy installation. Torsion spring grille mounting means no tools are required. HVI certified.



Part No.	Description	CFM	Sones	Duct	Housing	Weight (lb.)	Std. Pack	UPC
763RLN	Value Test fan-light	50	2.5	4"	9" x 9" x 5 3/4"	7.0	1 pc.	784891256226
769RL	Value Test fan-light	70	3.0	4"	9" x 9" x 5 3/4"	7.0	1 pc.	784891256431
671SP	Value Test fan	90	2.5	4"	8 1/4" x 8" x 5 3/4"	6.0	1 pc.	055321620659
672SP	Value Test fan	110	4.0	4"	8 1/4" x 8" x 5 3/4"	6.3	1 pc.	055321620673
50NT	ENERGY STAR® qualified, deluxe ventilation fan	50	1.5	4"	8 1/4" x 8" x 5 3/4"	7.0	1 pc.	026715199525
80NT	ENERGY STAR qualified, deluxe ventilation fan	80	2.0	4"	8 1/4" x 8" x 5 3/4"	7.0	1 pc.	026715194162
NT080C	Deluxe ventilation fan	80	2.5	4"	8 1/4" x 8" x 5 3/4"	6.0	1 pc.	055321601443
778WHNT	ENERGY STAR qualified, deluxe ventilation fan-light	80	2.0	4"	8 1/4" x 8" x 5 3/4"	12.0	1 pc.	026715197453

Project Packs

F671	Deluxe project finish pack, contains 4 motor assemblies and 4 grilles.	90	2.5	N/A	N/A	3.8	4 pcs.	50055321620777
F672	Deluxe project finish pack, contains 4 motor assemblies and 4 grilles.	110	4.0	N/A	N/A	3.8	4 pcs.	50055321620784
F50NT	ENERGY STAR qualified, deluxe project finish pack, contains 4 motor assemblies and 4 grilles.	50	1.5	N/A	N/A	3.2	4 pcs.	026715199549
F80NT	ENERGY STAR qualified, deluxe project finish pack, contains 4 motor assemblies and 4 grilles.	80	2.0	N/A	N/A	3.2	4 pcs.	026715197477
H800	Project housing pack for above finish packs. Contains 4 housings and 4 duct connectors.	N/A	N/A	4"	8 1/4" x 8" x 5 3/4"	5.1	4 pcs.	50055321620760

VALUE TEST

A quality fan for an incredible value. The attractive white polymeric grilles blend well with any decor. HVI certified.



Part No.	Description	CFM	Sones	Duct	Housing	Weight (lb.)	Std. Pack	UPC
696NC	Value Test fan	50	3.0	3"	8 1/16" x 7 3/8" x 3 7/8"	3.6	1 pc.	784891258480
695C	Value Test fan	70	5.5	3"	8 1/16" x 7 3/8" x 3 7/8"	4.1	1 pc.	784891258374
Project Packs								
696NCB	Value Test project finish pack, contains 6 motor assemblies and 6 grilles.	50	3.0	N/A	N/A	2.1	6 pcs.	784891258497
695CB	Value Test project finish pack, contains 6 motor assemblies and 6 grilles.	70	5.5	N/A	N/A	2.5	6 pcs.	784891258398
690AC	Project housing pack for above finish packs. Contains 6 housings and 6 duct connectors.	N/A	N/A	3"	8 1/16" x 7 3/8" x 3 7/8"	1.6	6 pcs.	784891254727

COMBINATION UNITS - HEATER, FAN, LIGHT

Multi-functional providing heat, ventilation and light.



Part No.	Description	CFM	Sones	Duct	Housing	Weight (lb.)	Std. Pack	UPC
9417DNM	One-bulb heater - with fan	70	3.5	4"	8 1/8" x 8 3/8" x 6 3/8"	7.2	1 pc.	055321620567
9420WHC	Two-bulb heater - no fan	N/A	N/A	N/A	14 1/4" x 8 3/8" x 6"	6.5	1 pc.	784891336393
9425WHC	Two-bulb heater - with fan	70	3.5	4"	14 1/4" x 8 3/8" x 6 3/8"	9.6	1 pc.	784891336492

RECESSED FAN/LIGHT

The recessed fan/light is at home in any room of the house where you'd like to keep the air fresh and comfortable. Two distinct functions in one clever design.



Part No.	Description	CFM	Sones	Duct	Housing	Weight (lb.)	Std. Pack	UPC
744NTC	Recessed fan light with 6" white trim	70	2.0	4"	12 3/4" x 8 1/4" x 6 3/4"	9.8	1 pc.	026715165711



ACCESSORIES AND PARTS

Part No.	Description	Weight (lb.)	Std. Pack	UPC
834	Aluminum mesh grease filter for 8" fans and VG54 damper	0.4	1 pc.	784891991615
FG100	Replacement grille for 695C and 696NC	0.25	1 pc.	055321801140
FG672	Replacement grille for 671R, 672R, 671SP and 672SP	0.45	1 pc.	055321801188
RDJ1	Radiation damper for use with models 671SP, 672SP, NT080C, 50NT, 80NT	5.0	1 pc.	026715199624

DUCTS

Part No.	Description	Weight (lb.)	Std. Pack	UPC
407	7" round duct, 2' section – multiples of 5	15.0	1 pc.	026715011186
410	10" round duct (price per carton); 5-24" length per carton	20.0	1 pc.	026715022748

TRANSITIONS

Part No.	Description	Weight (lb.)	Std. Pack	UPC
411	3 1/4" x 10" to 6" round transition	2.0	1 pc.	026715002672
412	3 1/4" x 10" to 7" round transition	2.0	1 pc.	026715002689
413	3 1/4" x 10" to 8" round transition	2.0	1 pc.	026715015993
414	8" to 10" expander for RMPE7004	2.0	1 pc.	026715075478
423	Adapter (vertical), 4 1/2" x 18 1/2" to 10" round transition	4.0	1 pc.	026715039029
424	Rear transition, 4 1/2" x 18 1/2" to 10" round for horizontal or front/rear installation	4.5	1 pc.	026715039036
427	Thin wall horizontal transition, 4 1/2" x 18 1/2" to 10" round	4.0	1 pc.	026715126071
T624	6" to 4" duct transition	6.0	1 pc.	055321590013

ELBOWS

Part No.	Description	Weight (lb.)	Std. Pack	UPC
415	7" adjustable elbow	6.0	1 pc.	026715007967
418	Adjustable elbow - 10"	3.0	1 pc.	026715059454
428	Vertical elbow - 3 1/4" x 10"	1.0	1 pc.	026715011148
429	Horizontal elbow - 3 1/4" x 10"	2.0	1 pc.	026715011155
430	Eave elbow - 3 1/4" x 10" with damper and grille	4.0	1 pc.	026715016013

INSTALLATION KITS

Part No.	Description	Weight (lb.)	Std. Pack	UPC
443	Fan ducting kit, roof installation includes 1-aluminum roof cap with built-in damper and bird screen, 1-4" diameter duct connector, 2-4" hose clamps, 1-3" to 4" duct transition, and 8' of 4" diameter flexible hose	3.5	1 pc.	055321800235
450	Fan ducting kit, wall installation includes 1-louvered wall vent, 1-4" diameter metal duct connector, 2-4" hose clamps, 1-3" to 4" duct transition, and 5' of 4" diameter flexible hose	1.5	1 pc.	055321800228

ROOF CAPS

Part No.	Description	Weight (lb.)	Std. Pack	UPC
437	High capacity roof cap, up to 1200 CFM exhaust	12.0	1 pc.	026715039074
634	Roof cap with damper and bird screen, 3 1/4" x 10" or up to 8" round, steel, black enamel	6.0	1 pc.	026715002658
634M	Roof cap with damper and bird screen, 6" round, steel, black enamel	6.8	1 pc.	026715057818
636	Roof cap with damper and bird screen, 3" or 4" round, steel, black enamel	2.0	1 pc.	026715000609
644	Aluminum roof cap with backdraft damper and bird screen, 3 1/4" x 10" or up to 8" round duct. Natural finish	3.0	1 pc.	026715003938

WALL CAPS

Part No.	Description	Weight (lb.)	Std. Pack	UPC
441	Wall cap for 10" round duct	4.0	1 pc.	026715039081
639	Wall cap 3 1/4" x 10" with damper and bird screen, steel, black enamel	3.0	1 pc.	026715002641
641	Aluminum wall cap fits 6" round duct, damper and bird screen	1.0	1 pc.	026715011377
643	Aluminum wall cap, 8" round duct with damper	2.5	1 pc.	026715022946
647	Wall cap for 7" round duct	1.5	1 pc.	026715052127
885BL	Wall cap for 3" or 4" round duct, steel, black enamel	1.7	1 pc.	784891276491

WALL CONTROLS

Part No.	Description	Weight (lb.)	Std. Pack	UPC
P57WN	Variable speed 3-amp white decora style switch	0.2	1 pc.	055321800358
P59WN	60-minute timer white decora style switch	0.5	1 pc.	055321800365
P61WN	15-minute timer white decora style switch	0.5	1 pc.	055321800372
P66WN	3-function control white decora style switch	0.3	1 pc.	055321800402
P68WN	2-function control white decora style switch	0.3	1 pc.	055321800532

IN-LINE FANS

Powerful and efficient. Remote-mounted either horizontally or vertically. Ideal for continuous duty applications. HVI certified.



Part No.	Description	CFM	Duct	Housing	Weight (lb.)	Std. Pack	UPC
ILF120	4" In-Line fan	110	4"	9 5/16" H x 9 7/8" Ø	6.0	1 pc.	784891206009
ILF130	ENERGY STAR qualified 5" In-Line fan	130	5"	9 1/8" H x 9 7/8" Ø	6.0	1 pc.	784891206108
ILF250	ENERGY STAR qualified 6" In-Line fan	250	6"	9" H x 13 3/8" Ø	8.0	1 pc.	784891206153
ILF360	ENERGY STAR qualified 8" In-Line fan	360	8"	6 1/4" H x 13 1/4" Ø	10.0	1 pc.	784891206252
ILF530	10" In-Line fan	530	10"	7" H x 13 1/4" Ø	13.0	1 pc.	784891206405
ILRF	4" Radon In-Line fan	150	4"	10 1/8" H x 9 3/4" Ø	7.0	1 pc.	784891206900
ILFK120	4" In-Line fan and grille kit	110	4"	9 5/16" H x 9 7/8" Ø	7.0	1 pc.	784891206504
ILFK130	ENERGY STAR qualified 5" In-Line fan and grille kit	130	5"	9 1/8" H x 9 7/8" Ø	8.0	1 pc.	784891206559
ILFK250	ENERGY STAR qualified 6" In-Line fan and grille kit	250	6"	9" H x 13 3/8" Ø	10.0	1 pc.	784891206603
ILFK2502	ENERGY STAR qualified 6" In-Line fan and grille kit (includes 2 grilles and 2 dampers and FY6)	250	6"	9" H x 13 3/8" Ø	13.0	1 pc.	784891206658



ACCESSORIES FOR IN-LINE FANS

Part No.	Description	Weight (lb.)	Std. Pack	UPC
CVG4	Grille 4"	0.5	1 pc.	784891994906
CVG6	Grille 6"	0.5	1 pc.	784891270703
CVLD4	4" sleeve with damper	0.7	1 pc.	784891270956
CVLD5	5" sleeve with damper	0.8	1 pc.	784891270987
CVLD6	6" sleeve with damper	0.9	1 pc.	784891271014
FY6	6" x 6" x 6" Y adapter	2.0	1 pc.	784891206986

ATTIC FANS

Part No.	Description	CFM	Sq. Ft.	Weight (lb.)	Std. Pack	UPC
345	1200 CFM powered Attic fan	1200	1600	17	1 pc.	055321680011



POWER UNITS

A NuTone central vacuum system is one of Canada's "most wanted" built-in appliances.

Part No.	Description	Size	Weight (lb.)	Std. Pack	UPC
CV654	For homes up to 3000 sq.ft – Cyclonic (with separate purchase of permanent filter) or disposable bag - 450 air watts -90" water lift -100 CFM -120 volts 22.7 L debris pail capacity.	11" Ø x 40 1/2" H	25	1 pc.	055321700429
VX475CC	For homes up to 3,000 sq. ft. - Cyclonic - Standard permanent filter - 475 air watts - 90" water lift - 114 cfm - 120 Volts - 15 L debris pail capacity - Built-in sound suppression - Right or left installation - Corrosion resistant engineered thermoplastic housing.	11 1/2" x 16 1/2" x 36"	45	1 pc.	055321700245
VX550CC	For homes up to 6,000 sq. ft. - Cyclonic - Self cleaning permanent HEPA filter - 550 air watts - 130" water lift - 135 cfm - 120 Volts - 26.5 L debris pail capacity - Built-in sound suppression - Pail full indicator - Right or left installation - Corrosion resistant engineered thermoplastic housing.	11 1/2" x 17 1/2" x 39"	48	1 pc.	055321700252
VX1040CC	For homes up to 12,000 sq. ft - Cyclonic - Self cleaning permanent HEPA filter - 1,040 air watts - 130" water lift - 230 cfm - 240 Volts - Dual motor - 26.5 L debris pail capacity - Built-in sound suppression - Pail full indicator - Right or left installation - Corrosion resistant engineered thermoplastic housing.	11 1/2" x 17 1/2" x 39"	50	1 pc.	055321700269

CENTRAL VACUUM KITS

Everything you need in one package.



Part No.	Description	Weight (lb.)	Std. Pack	UPC
STDKIT200	Kit includes a CV654 power unit, BN135 standard 6-piece tool set, BN30LV 30' low-voltage crushproof hose and BN160 multi-surface brush.	34	1 pc.	055321700405
STDKIT400	Kit includes a VX475CC power unit, BN135 standard 6-piece tool set, BN32LV 32' low-voltage crushproof hose and BN165 air-driven brush.	60	1 pc.	055321700276
DLXKIT800	Kit includes a VX550CC power unit, BN235 deluxe 7-piece tool set, BN32DV 32' dual-voltage crushproof hose and BN200 electric power brush.	70	1 pc.	055321700283




BRUSHES

Part No.	Description	Weight (lb.)	Std. Pack	UPC
BN155B	Universal brush - ideal for hard floors - two soft wheels help keep the brush aligned to floor superior pick-up - side channels for better edge cleaning - scalloped-cut front blade - pivot/swivel neck assembly.	0.7	1 pc.	50055321721603
BN160	Multi-surface floor tool - Effective on all flooring types - easy-to-use pedal: switches from hard surface to carpet cleaning mode - side channels for better edge cleaning performance - pivot/swivel neck assembly - fits all standard wands.	N/A	1 pc.	50055321722167
BN165	Air-Driven Brush - four rubber wheels for use on all surfaces - floating wheels ensure superior performance - side channel for better edge cleaning - pivot/swivel neck assembly - squeegee floor tool for even suction distribution - fits all standard wands.	1.75	1 pc.	50055321722174
BN200	Electric Power Brush - Power brush neck and wand release pedal - equipped with 6 LEDs for superior lighting - 4-level height adjustment with LED indicators - soft, easy-rolling rubber wheels - includes aluminum telescopic wand.	9.64	1 pc.	055321722124



TOOL SETS

Part No.	Description	Weight (lb.)	Std. Pack	UPC
BN135	6-piece Standard tool set: 10" hard floor brush - stainless steel telescopic wand - natural bristle upholstery tool (directional slide brush) - crevice tool, dusting brush and clip-on caddy.	3	1 pc.	055321721721
BN235	7-piece Deluxe tool set: 12" hard floor brush - stainless steel telescopic wand - dusting brush - natural bristle upholstery tool (directional slide brush) - crevice tool and clip-on caddy - storage bag.	4	1 pc.	055321721790
GK225	Garage and car cleaning kit: 50' crushproof hose - crevice tool - floor brush with swivel neck - dusting brush - natural bristle upholstery tool - cloth caddy bag and hose hanger.	10.14	1 pc.	055321700368



HOSES

Part No.	Description	Weight (lb.)	Std. Pack	UPC
BN32	Standard hose - 32' - 1 1/4" Ø - Airflow regulator on handle - Universal wall end - hose hanger included	6.8	1 pc.	055321721554
BN32LV	Low-voltage crushproof hose - 32' - 1 3/8" Ø - Control your central vacuum from the hose handle control - hose hanger included	10	1 pc.	055321721813
BN32DV	Dual voltage crushproof hose - 32' - 1 3/8" Ø - 360° rotation - Control both the central vacuum and the electric brush from the hose handle control - hose hanger included	10	1 pc.	055321721806

ACCESSORIES

Part No.	Description	Weight (lb.)	Std. Pack	UPC
HS30	Protect your floors and furniture with this padded hose cover - Stay-lock fastener - Simple installation - 30'	0.3	1 pc.	800696012147
HS35	Protect your floors and furniture with this padded hose cover - Stay-lock fastener - Simple installation - 35'	0.5	1 pc.	800696012734
V137	Muffler	0.8	1 pc.	055321720229
V600	VacuSweep® inlet valve - Ivory	0.4	1 pc.	055321721226
V600B	VacuSweep® inlet valve - Black	0.5	1 pc.	055321721264
V600W	VacuSweep® inlet valve- White	0.4	1 pc.	055321721288
V601	VacuSweep® trim plate - Ivory	0.8	1 pc.	055321721301
V601B	VacuSweep® trim plate - Black	0.8	1 pc.	055321721349
V601W	VacuSweep® trim plate - White	0.8	1 pc.	055321721363
391C	Replacement filter bag for model CV654 - 3 per pkg.	0.7	1 pc.	784891998546
PF450	Cyclonic permanent filter bag for model CV654- Multiples of 4 only	1.2	4 pcs.	50055321700448
30010284	Cyclonic permanent filter bag for model CV654 single	0.1	1 pc.	055321700481

INLETS

Part No.	Description	Weight (lb.)	Std. Pack	UPC
V111	Wall inlet - Ivory	0.3	1 pc.	055321720281
V111W	Wall inlet - White	0.3	1 pc.	055321720755
V111B	Wall inlet - Brass	0.7	1 pc.	055321720298
V144	Plastic mounting plate	0.1	1 pc.	055321720892

INSTALLATION PARTS

Part No.	Description	Weight (lb.)	Std. Pack	UPC
V110	90° sweep elbow	0.1	1 pc.	055321720908
V118	45° elbow spigot	0.1	1 pc.	055321721028
V120	45° elbow	0.1	1 pc.	055321720144
V121	90° medium elbow sweep	0.1	1 pc.	055321720151
V122	90° short elbow	0.3	1 pc.	055321720168
V123	45° Y	0.2	1 pc.	055321720175
V124	90° tee	0.2	1 pc.	055321720182
V125	3 way 90° Y	0.2	1 pc.	055321720311
V126	Short tee	0.1	1 pc.	055321720328
V127	Stop coupling	0.1	1 pc.	055321720199
V129	Joint cement (118 ml)	0.6	1 pc.	064529000163
V131	2" PVC tubing 10 ft. length	2.0	10 pcs.	055321721769
V131-5	2" PVC tubing 5 ft. length	1.0	1 pc.	055321720335
V132	30° elbow	0.1	1 pc.	055321720335
V133	100 ft. Low-voltage wire (2 cond. 22 gauge)	1.4	1 pc.	055321720342
V134	Tubing cap	0.1	1 pc.	055321720359
V135	Plaster guard	0.1	1 pc.	055321720366
V138	Cover plate with screws	0.1	1 pc.	055321720373
V139	Inlet valve extension	0.1	1 pc.	055321720441
V140	Tubing strap with built-in wire holder	0.1	1 pc.	055321720205
V142	Exterior Exhaust vent	0.2	1 pc.	055321720380
V144	Plastic mounting plate	0.1	1 pc.	055321720892
V153	90° medium elbow spigot	0.1	1 pc.	055321721004
V382XS	90° short socket elbow	0.1	1 pc.	055321721196
CF367	CF367 Flexible tubing 36" x 2"	0.95	1 pc.	784891774188
393	Wall cap	1.4	1 pc.	784891992421

INLET INSTALLATION KITS

Part No.	Description	Weight (lb.)	Std. Pack	UPC
V185	Add-on inlet kit: (1) V120 - 45° Short elbow (2) V121 - 90° Medium elbow sweep (1) V122 - 90° Short elbow (1) V124 - 90° Tee (2) V127 - Stop coupling (1) V144 - Plastic mounting plate	2	1 pc.	055321720052
V186	Single-inlet kit: (1) V111W - White wall inlet (2) V120 - 45° Short elbow (3) V121 - 90° Medium elbow sweep (1) V122 - 90° Short elbow (1) V124 - 90° Tee (3) V127 - Stop coupling (1) V144 - Plastic mounting plate (1) 25 ft. Low-voltage wire (4) V131-5 - PVC tubing 5 ft length (1) V129 - Joint cement	8	1 pc.	055321720069
V189	Three-inlet kit: (3) V120 - 45° Short elbow (6) V121 -90° Sweep elbow (3) V122 - 90° Short elbow (2) V124 - 90° Tee (6) V127 - Stop coupling (1) V129 - Joint cement (1) V133 - 100 ft. Low-voltage wire (3) V144 - Plastic mounting plate	10	1 pc.	055321720076

IRONING CENTERS

Ironing hardly seems like a chore when you have a NuTone® Built-In Ironing Center. No more dragging out the ironing board or clearing a spot to set it up. The Deluxe model even offers a built-in electrical outlet for easy plug-in of the iron.

Part No.	Description	Weight (lb.)	Std. Pack	UPC
AVD50N	Deluxe ironing center - no door	39.2	1 pc.	784891710063
AVD40N	Basic ironing center - no door	30.0	1 pc.	784891710001
AVD40WN	Basic ironing center - white flat panel door included	43.4	1 pc.	784891710025



CUSTOM DOORS

Select either a NuTone® custom door (sold separately) or create a door to match your own woodwork.

Part No.	Description	Weight (lb.)	Std. Pack	UPC
AVDWRPN	White raised panel door	12.9	1 pc.	784891712746
AVDMFPNH	Mirror door with 1" beveled edge	24.6	1 pc.	784891712753



ACCESSORIES AND REPLACEMENT PARTS

Part No.	Description	Weight (lb.)	Std. Pack	UPC
AVDSMN	Surface mount installation kit	9.7	1 pc.	784891713040
AVDCPN	Cover pad	0.2	1 pc.	784891713019



WIRED DOOR CHIMES

NuTone offers the perfect combination of function, style and sound. With traditional chimes, decorative chimes, paintable chimes – NuTone offers something for everyone. Wired door chimes never need batteries and are maintenance-free and long-lasting.



Part No.	Description	Notes - Doors	Dimensions	Std. Pack	UPC
B101	Clean modern design, white finish - Classic	2 Notes Front, 1 Note Rear	4" x 7 1/4" x 1 3/4"	1 pc.	055321040402
B220	Modern design, matte white with gold accents -Contemporary	2 Notes Front, 1 Note Rear	7 1/4" x 8 3/4" x 2 1/2"	1 pc.	055321040440
B81	Clean modern design, white finish	2 Notes Front, 1 Note Rear	4" x 7 1/4" x 2"	1 pc.	055321040303
LA100WH	Molded cover with rectangular grooves, white finish	2 Notes Front, 1 Note Rear	5 7/8" x 7 1/2" x 2 1/8"	1 pc.	784891951954
LA107WH	Classic vertical panel design, white finish	2 Notes Front, 1 Note Rear	7 3/8" x 9" x 2 3/4"	1 pc.	784891991295
LA109LO	Natural finish wood grain with horizontal slat design	2 Notes Front, 1 Note Rear	6 1/2" x 9 1/2" x 2 9/16"	1 pc.	784891991905
LA11WH	Textured angular design, white finish	2 Notes Front, 1 Note Rear	8 1/8" x 5 1/2" x 2"	1 pc.	784891951879
LA120K	Light oak wood grain finish with vertical groove design	2 Notes Front, 1 Note Rear	6 1/4" x 8 1/8" x 2 1/8"	1 pc.	784891951947
LA120WL	Walnut wood grain finish with vertical groove design	2 Notes Front, 1 Note Rear	6 1/4" x 8 1/8" x 2 1/8"	1 pc.	784891951930
LA130WH	High gloss rectangular design, white finish	2 Notes Front, 1 Note Rear	7 1/2" x 5 3/4" x 2 5/16"	1 pc.	784891991349
LA139WH	Traditional crown-mold design, white finish	2 Notes Front, 1 Note Rear	10 1/4" x 6 3/8" x 3 3/8"	1 pc.	784891999833
LA140WH	Classic arched top design, white finish	2 Notes Front, 1 Note Rear	9 3/4" x 7" x 3"	1 pc.	784891999840
LA164WH	Translucent white alabaster with ambient light	2 Notes Front, 1 Note Rear	5 1/2" x 7 5/8" x 3 1/8"	1 pc.	784891026485
LA301WH	Decorative flowing design, white finish	2 Notes Front, 1 Note Rear	8" x 9" x 2 1/8"	1 pc.	784891027352
LA302WH	Split level design, white finish	2 Notes Front, 1 Note Rear	7" x 8 3/4" x 2 1/4"	1 pc.	784891027369
LA305WL	Walnut wood finish with brass insert and tubes	Up to 8 Notes and 3 Doors	9 15/16" x 16 9/16" x 4 1/4"	1 pc.	784891951855
LA310CY	Cherry wood finish with stainless steel tubes	Up to 8 Notes and 3 Doors	12" x 18 3/4" x 4 7/8"	1 pc.	784891027314
LA311WL	Walnut wood finish with stainless steel tubes	Up to 8 Notes and 3 Doors	12" x 18 3/4" x 4 7/8"	1 pc.	784891027307
LA317BL	Decorative curved design, black finish	2 Notes Front, 1 Note Rear	7 1/4" x 8 3/4" x 2 1/4"	1 pc.	784891027338
LA317CHPG	Decorative curved design, champagne finish	2 Notes Front, 1 Note Rear	7 1/4" x 8 3/4" x 2 1/4"	1 pc.	784891027321
LA317WH	Decorative curved design, soft white finish	2 Notes Front, 1 Note Rear	7 1/4" x 8 3/4" x 2 1/4"	1 pc.	784891027345
LA39WH	Unique chord tone, paintable cover	2 Notes Front, 1 Note Rear	7 1/2" x 10 1/2" x 2 1/8"	1 pc.	784891993336
LA501CY	Cherry wood finish, beveled mirror insert, brass tubes	Up to 8 Notes and 3 Doors	12 1/2" x 60 1/4" x 4 7/8"	1 pc.	784891951831
LA52WH	Musical chime with choice of 24 tunes, white finish	Choose from 24 different tunes for front door 2 Notes Rear	7 1/4" x 9 1/4" x 2 1/8"	1 pc.	784891022425

WIRELESS DOOR CHIMES

NuTone's wireless chimes install in just minutes, with no wires to run. Our portable styles can go with you, so visitors won't be missed even when you're out on the deck! All models feature adjustable codes to avoid interference from a neighbor's wireless chime and all chimes have unobstructed operational distances of 150 feet. LA532RW and LA533WH have an unobstructed operational distance of 300 feet.



Part No.	Description	Dimensions	Std. Pack	UPC
LA203RWH	Receiver Only - Plug-in design, white finish	2 3/4" x 4 1/4" x 1"	1 pc.	784891980787
LA203WH	Plug-in design, white finish, 1 pushbutton	2 3/4" x 4 1/4" x 1"	1 pc.	784891980794
LA204WH	Plug-in design with strobe light for hearing impaired, white finish, 1 pushbutton	3 1/4" x 4 1/2" x 1 1/2"	1 pc.	784891980619
LA205WH	Compact contemporary design, white finish, 1 pushbutton	2 3/4" x 4 1/4" x 1"	1 pc.	784891980015
LA206WH	Contemporary wave design, white finish, 1 pushbutton	6" x 7 5/8" x 2 1/4"	1 pc.	784891980022
LA522WH	Horizontal groove design, white finish, includes 2 pushbuttons	4 1/4" x 5 7/8"	1 pc.	784891951992
LA532RW	Rosewood chime with brass accent, CD quality sound, 1 pushbutton	9 1/4" x 6 7/8" x 2 3/4"	1 pc.	784891951916
LA533WH	Traditional design, portable, CD quality sound, white finish, 1 pushbutton	6" x 7 7/8" x 2 3/4"	1 pc.	784891951923

BUILDER CHIME KITS

Convenient builder kits contain everything the home builder needs in one package: chime, push buttons and a transformer.



Part No.	Description	Housing	Std. Pack	UPC
972	White finish, 2 unlighted pushbuttons	4" x 7 1/4" x 2"	1 pc.	026715023172
974	White finish, 1 unlighted and 1 lighted pushbutton	4" x 7 1/4" x 2"	1 pc.	055321040242
978	White finish, 2 lighted pushbuttons	4" x 7 1/4" x 2"	1 pc.	026715039135

TRANSFORMERS AND ACCESSORIES



Part No.	Description	Std. Pack	UPC
GC902	Wire for door chimes, 65'	1 pc.	055321041249
LA201	Chrome buzzer	1 pc.	784891999284
PBL2	Replacement bulb for lighted pushbutton	1 pc.	784891059209
GC905	16 Volt Transformer 10 VA	1 pc.	055321041263
105T	16 Volt, 15 W Transformer	1 pc.	784891991813
CA23	12 Volt Battery	1 pc.	026715180035
301T	16 Volt 30 W Transformer	1 pc.	026715180035

PUSHBUTTONS

From surface mount to flush mount and polished brass to satin nickel and oil-rubbed bronze, NuTone push buttons are specifically designed to meet your individual style and function needs.



Part No.	Description	Std. Pack	UPC
PB15LBR	Lighted pushbutton, oil rubbed bronze finish	1 pc.	026715179909
PB15LPB	Lighted pushbutton, polished brass finish	1 pc.	026715179800
PB15LSN	Lighted pushbutton, satin nickel finish	1 pc.	026715179763
PB18LWHCL	Replacement lighted pushbutton	1 pc.	784891993626
PB18WHCL	Replacement unlighted pushbutton	1 pc.	784891051777
PB27LBR	Lighted pushbutton, oil rubbed bronze finish	1 pc.	026715179916
PB27LPB	Lighted pushbutton, polished brass finish	1 pc.	026715180028
PB27LSN	Lighted pushbutton, satin nickel finish	1 pc.	784891052446
PB29LR	Lighted pushbutton, brown rust finish	1 pc.	784891052521
PB41LBGL	Lighted pushbutton for stucco application, brass finish	1 pc.	784891998973
PB41LBR	Lighted pushbutton for stucco application, oil rubbed bronze finish	1 pc.	784894053504
PB41LSN	Lighted pushbutton for stucco application, satin nickel finish	1 pc.	784891053511
PB41LWH	Lighted pushbutton for stucco application, white finish	1 pc.	784891053528
PB49LPB	Lighted pushbutton, polished brass finish	1 pc.	026715179848
PB4LBL	Lighted pushbutton, black finish	1 pc.	026715179978
PB4LBR	Lighted pushbutton, rubbed bronze finish	1 pc.	026715179893
PB4LSN	Lighted pushbutton, satin nickel finish	1 pc.	026715179756
PB4LWH	Lighted pushbutton, white finish	1 pc.	026715179961
PB53LWH	Lighted pushbutton, white finish	1 pc.	026715179954
PB56LPB	Lighted pushbutton, polished brass finish	1 pc.	026715179794
PB64LAB	Lighted pushbutton, antique brass finish	1 pc.	026715179923
PB67AB	Unlighted, antique brass finish unlighted	1 pc.	026715179930
PB67PB	Unlighted, polished brass finish unlighted	1 pc.	026715179886
PB69LBL	Lighted pushbutton, black finish	1 pc.	026715179985
PB69LPB	Lighted pushbutton, polished brass finish	1 pc.	026715179787
PB69LPC	Lighted pushbutton, polished chrome finish	1 pc.	026715180004
PB69LSN	Lighted pushbutton, satin nickel finish	1 pc.	026715179770
PB69LWH	Lighted pushbutton, white finish	1 pc.	026715179947
PB72WH	Unlighted pushbutton, white finish (WIRELESS)	1 pc.	026715180011
PB75BR	Unlighted pushbutton, rubbed bronze finish (WIRELESS)	1 pc.	784891054501
PB75SN	Unlighted pushbutton, satin nickel finish (WIRELESS)	1 pc.	784891054518
PB7LBL	Lighted pushbutton, black finish	1 pc.	784891060014
PB7LWH	Lighted pushbutton, white finish	1 pc.	784891060045
PB7LPB	Lighted pushbutton, polished brass finish	1 pc.	784891060021
PB7LSN	Lighted pushbutton, satin nickel finish	1 pc.	784891060038
PB7LWH	Lighted pushbutton, white finish	1 pc.	784891060045

MASTER STATIONS, CD CHANGERS AND KITS

Full-function intercom and music distribution systems designed for residential use. These systems support up to 15 remote stations and up to three door speakers. A built-in AM/FM radio tuner allows for eight AM station presets and eight FM station presets and features a backlit liquid crystal display.



Part No.	Description	Size	Weight (lb.)	Std. Pack	UPC
NM100WH	Fully functional intercom and music distribution system designed to replace older 3-wire units (IMA3303). Available in White only.	16 1/8 x 11 7/8 x 3 1/4	8.0	1 pc.	026715184729
NM200AL	Fully functional intercom and music distribution system designed for new construction and can replace older 6-wire units (IMA4406). Almond.	15 1/4 po x 5 5/16 po x 3 3/8 po	7.0	1 pc.	026715184484
NM200WH	Fully functional intercom and music distribution system designed for new construction and can replace older 6-wire units (IMA4406). White.	15 1/4 po x 5 5/16 po x 3 3/8 po	7.0	1 pc.	026715184460
NC300AL	6-Disc CD Changer for use with NM200AL. Requires the NF200CAL Frame. Almond.	16 1/8 po x 6 9/16 po x 3 1/2 po	8.0	1 pc.	026715184491
NC300WH	6-Disc CD Changer for use with NM100WH or NM200WH. Requires the NF100CWH or NF200CWH frame. White.	16 1/8 po x 6 9/16 po x 3 1/2 po	8.0	1 pc.	026715184477
NM200K	Intercom Kit: 1 NM200WH, 4 NRS200WH indoor stations, 1 NPS200WH outdoor station, 1 NDB300WH door speaker and 1 NA3003C 3-note chime module. White.	N/A	17.0	N/A	026715184446
NMC300K	Intercom Kit: 1 NM200WH, 1 NC300WH CD changer, 4 NRS200WH indoor stations, 1 NPS200WH outdoor station, 1 NDB300WH door speaker, 1 NA3003C 3-note chime module and 1 NF200CWH frame. White.	N/A	25.0	N/A	026715184453

REMOTE STATIONS AND SPEAKERS

Remote stations feature local volume control, room talk/listen, door talk/listen, privacy button and audio source selection.



Part No.	Description	Size	Weight (lb.)	Std. Pack	UPC
NPS103WH	Outdoor Remote Station for NM100. For upgrading 3-wire systems. White	5 1/2" x 5 1/2"	1.0	1 pc.	026715184743
NPS104WH	Outdoor Remote Station for NM100. For upgrading 4-wire systems. White	5 1/2" x 5 1/2"	1.0	1 pc.	026715185016
NPS200WH	Outdoor Remote Station for NM200. White	5 1/2" x 5 1/2" x 1 5/8"	1.1	1 pc.	026715184514
NRS103WH	Indoor Remote Station for NM100. For upgrading 3-wire systems. White faceplate	5 1/2" x 5 1/2"	1.0	1 pc.	026715184736
NRS104WH	Indoor Remote Station for NM100. For upgrading 4-wire systems. White	5 1/2" x 5 1/2"	1.0	1 pc.	026715184750
NRS200AL	Indoor Remote Station for NM200. Almond	5 1/2" x 5 1/2" x 1 5/8"	0.9	1 pc.	026715184521
NRS200WH	Indoor Remote Station for NM200. White	5 1/2" x 5 1/2" x 1 5/8"	1.0	1 pc.	026715184507
NS382CWH	Indoor 8" 2-Way In-Ceiling Intercom Speaker. White	10 5/8" x 10 5/8" x 3 11/16"	6.0	1 pc.	026715184507
NS382OBL	Outdoor 8" 2-Way Intercom Speaker. Black	8" x 5 1/4" x 4 1/4"	4.0	1 pc.	026715184873
NS382OWH	Outdoor 8" 2-Way Intercom Speaker. White	8" x 5 1/4" x 4 1/4"	4.0	1 pc.	026715184866

DOOR SPEAKERS FOR NM100 / NM200 SYSTEMS

Two-way voice communication with the resident occurs through the unit's built-in speaker. The door station recess-mounts in the wall using the NRKR300D Door Speaker Rough-in.



Part No.	Description	Size	Weight (lb.)	Std. Pack	UPC
NDB300BB	Door Speaker - Bright Brass	4 3/16" x 6 5/16" x 1 3/8"	0.9	1 pc.	026715184545
NDB300N	Door Speaker - Nickel	4 3/16" x 6 5/16" x 1 3/8"	0.9	1 pc.	026715184569
NDB300WH	Door Speaker - White	4 3/16" x 6 5/16" x 1 3/8"	0.9	1 pc.	026715184538
NDB300AB	Door Speaker - Antique Brass	4 3/16" x 6 5/16" x 1 3/8"	0.9	1 pc.	026715184552



ROUGH-INS

Part No.	Description	Size	Weight (lb.)	Std. Pack	UPC
NWH300	Master Station Rough-In for NM200AL / NM200WH / NM100WH	14 3/8" x 5 9/16" x 3 1/2"	8.0	1 pc.	026715184590
NWH300C	Rough-In for NC300 CD Player / Master combination	14 3/8" x 11 1/4" x 3 1/2"	10.0	1 pc.	026715184613
NRKF200P	Outdoor Remote Station Rough-In for NPS200WH	4 13/16" x 4 7/8" x 2 13/16"	1.0	1 pc.	026715184644
NRKR200R	Indoor Station Rough-Ins for NRS200 (Pack of 5)	5 15/16" x 5 3/4" x 7/16"	1.0	1 pc.	026715184637
NRKRWH300	Rough-In Kit for NM200K	N/A	18.0	1 pc.	026715184606
NRKRWH300C	Master Station/CD Combo Rough-In Kit	N/A	22.0	1 pc.	026715184620
NRKR300D	Door Speaker Rough-In for NDB300	3 5/8" x 5 3/4" x 2 3/8"	0.7	1 pc.	026715185023
IR30K	Rough-In for IA30WH wall plate	N/A	1.0	1 pc.	784891131479



FRAMES AND RETROFIT FRAMES

Part No.	Description	Size	Weight (lb.)	Std. Pack	UPC
NF100CWH	NM100 Master and CD Combo Retrofit Frame - White	17 1/2" x 15 3/16" x 2 1/2"	1.3	1 pc.	026715184712
NF100MWH	NM100 Master Station Only Retrofit Frame - White	17 1/2" x 10 5/8" x 1 3/16"	1.3	1 pc.	026715184811
NF200CAL	NM200 Master and CD Combination Frame - Almond	16 1/8" x 11 7/8" x 2 1/2"	1.3	1 pc.	026715184705
NF200CWH	NM200 Master and CD Combination Frame - White	16 1/8" x 11 7/8" x 2 1/2"	1.3	1 pc.	026715184699
NF200MWH	NM200 Master Station Only Frame - White	16 5/16" x 6 1/4" x 1 3/16"	0.4	1 pc.	026715184682
NF300DWH	Door Speaker Retrofit Frame - White	4 7/8" x 6 5/8" x 1 9/16"	0.3	1 pc.	026715184781
NF300PWH	Outdoor Remote Station Retrofit Frame - White	7 1/2" x 10" x 1 1/4"	1.0	1 pc.	026715184774
NF300RWH	Indoor Remote Station Retrofit Frame - White	7 1/2" x 10" x 1 1/4"	0.9	1 pc.	026715184767
NRKS200PWH	Outdoor Remote Station Surface Mount Frame - White	5 7/8" x 7 7/8" x 4 3/8"	1.0	1 pc.	026715184767
NES300DBL	Plastic Door Speaker Surface Mount Frame - Black	5 15/16" x 3 13/16" x 2 3/16"	0.2	1 pc.	026715184675
NES300DWH	Plastic Door Speaker Surface Mount Frame - White	5 15/16" x 3 13/16" x 2 3/16"	0.2	1 pc.	026715184668
NRKS300R	Indoor Remote Station Surface Mount Frame - White	9 7/16" x 11" x 4 5/16"	2.0	1 pc.	026715188215



CHIME MODULES, TRANSFORMERS & ACCESSORIES

Part No.	Description	Size	Weight (lb.)	Std. Pack	UPC
IA30WH	Audio Wall Plate	2 13/16" x 4 9/16" x 9/16"	1.0	1 pc.	784891131158
NA200QC	Plug-In Connectors (Pack of 5)	1 3/16" x 7/8" x 1/2"	0.2	1 pc.	026715184835
NA200TA	Transformer	6 5/8" x 4 5/8" x 3 3/4"	5.0	1 pc.	026715184798
NA3003C	3-Note Chime Module	3 1/4" x 3 1/4"	0.2	1 pc.	026715184576
NA3008C	8-Note Chime Module	3 1/4" x 3 1/4"	0.1	1 pc.	026715184583
NA300MCWH	Volume Control - White	2 3/4" x 4 1/2" x 7/16"	0.2	1 pc.	026715184842
NA300TA	Transformer	6 5/8" x 3 3/4" x 3 11/16"	5.0	1 pc.	026715184804
NW4S	Shielded Cable, 22 gauge, 75 ft.	N/A	1.2	1 pc.	026715186945

[illegible]

Broan-NuTone Canada
1140 Tristar Drive
Mississauga, Ontario
L5T 1H9 CANADA

www.nutone.ca

NuTone[®]