



Laminate Trimming Bits



_	remain d				110		
	Α	В	C	D	E	F	Part #
	5/32	11/16	1	1/4	2-1/4	1-1/4	733125-6A

Continuously rounded steps for

decorative edging and molding




Part#

733125-8A



Joinery/Slot Cutters (cont'd)



Carbide-Tipped Ball Bearing Pilot

A B		C	D	Part #	
3/8	3-5/16	1-1/16	1/2	733336-A	



Α	В	C	D	E	Part#
1/4	1/4	1-1/16	1/4	1-1/2	733128-0A

Flush Trimmer - 2 Flute For fast, smooth and accurate 90° flush trimming applications.





| D |

| p |

2 pc. Bead Stile and Rail

Includes two complete assemblies

consisting of cutters, arbors, bearings D

Carbide-Tipped Ball Bearing Pilot


Α	В	C	D	Part #
3/8	3-5/16	1-1/16	1/2	733337-A

Carbide-Tipped Ball Bearing Pilot | A |

	Α	В	C	D	E	Part #
	1/4	1/2	1	1/4	2-1/4	733128-1
	3/8	1/2	1	1/4	2-1/8	733128-7
	3/8	1	1-1/4	1/4	2-5/8	733128-8
	1/2	1/2	1-1/4	1/4	2-1/4	733128-9 <i>F</i>
	1/2	1	1-1/4	1/4	2-5/8	733129-0 <i>F</i>
	1/2	1	1-1/4	1/2	3-1/4	733129-1
	1/2	2	1-1/4	1/2	4-1/4	733274-A
۰						

Reversible 2-Wing Tongue & **Groove Assembly**





Carbide-Tipped Ball Bearing Pilot

Slotting Cutting Assemblies - 3 Flute

Carbide-Tipped Ball Bearing Pilot

В

1-7/8 5/32 1-1/4 1/4 2-1/8

1-7/8 3/16 1-1/4 1/4 2-1/8

1/2" depth of cut. Smooth

cutting slotting bit for weath-er stripping,"T" molding and

						-
A	В	C	D	Ε	F	Part #
/4	3/8	3/4	1/2	1-5/8	3	733307-A

D

B

733300-A

733126-5A

733126-6A

Carbide-Tipped Ball Bearing Pilot


Flush Trimmer - 3 Flute

For extra smooth flush 90° trimming and chatter free cuts.

Α	В	C	D	Е	Part#
1/2	1	1	1/4	2-5/8	733129-3A




that normally follows trimming. These specially designed tools will flush trim the laminate and break the sharp edge all in one pass.



Carbide-Tipped Ball Bearing Pilot

7° Beve Self-Pilo			D	
1/2	3/8	1-7/8	1/4	733327-A
Α	В	C	D	Part#

For 7° bevel edging on plastic laminates. Small diameter allows intricate and close quarter cuts. No router guides are necessary.




Solid Carbide В D Part #

ı	Α	В	C	D	E	-	Part #
Ī	5/32	5/8	1-1/4	1/4	2-1/8	_	733123-2A
	5/32	5/8	1-5/16	1/2	2-1/2	1	733279-A
	1/4	7/8	1-1/4	1/4	2-1/4	_	733123-4A
	1/4	7/8	1-5/16	1/2	2-5/8	1-3/8	733280-A

Double Roman Ogee -

Carbide-Tipped Ball Bearing Pilot

2 Flute



D

F

1/4 2-1/8 7/8

D

MAX.RPM: 20,000

Part #

733295-A

C

1

Bull Nose Bit - 2 Flute

Routs full rounds on edge of workpiece. Can be used on thicker


workpieces for full round nose

1/8 9/16

Carbide-Tipped

B C D EPart # 7/8 15/16 1/4 2-1/4 1-3/8

	1/4	770	15/10	1/4	2-1/4	1-3/0	733201-A
Cla	assic	al B	ead a	nd (ove	D	



Carbide-Tipped Ball Bearing Pilot

Classical Cove and Bead D

Carbide-Tipped Ball Bearing Pilot

1

For a very attractive decorative

edge or molding cut

5/32 5/32 1/2

for accent.

Ogee with Fillet

Graceful ogee cut for decorative


edging and molding cuts. Lower

depth setting produces fillet

C.T. Ball Bearing Pilot C D Ε

5/32 1/2 1

R1	R2	В	C	D	E	F	Part#
13/64	5/16	1/2	1	1/4	2	1-1/4	733125-0A
15/64	7/32	5/8	1	1/4	2-1/8	1-1/2	733125-2A



3/4 1-5/16 1/2 2-3/4 1-1/4

Part#

733126-0A

733125-4A

2 1-1/8


D

1/4 2-1/16 1-3/8

Carbide-Tipped Ball Bearing Pilot


Α	В	C	D	E	F	Part #
1-1/16	3/4	5/8	1/2	2-1/2	2-5/8	733303-A
1-7/16	7/8	5/8	1/2	2-1/2	3-3/8	733305-A

Joinery/Slot Cutters





There is no need to realign the router depth, provided that the wood is centered to the cutting edge of the bit.



Carbide-Ti	pped

Α	В	C	D	Part #	
2-11/16	7/8	2-5/8	1/2	733335-A	

1/4 2-1/8

Laminate Trimming Bits

			A		
Α	В	C	D	E	Part#
3/4	1-1/2	1-1/4	1/2	3-7/8	733326-A

Ŗ