



TUBING & FITTINGS 1/2" DISTRIBUTION TUBING

- » Long lasting performance in harsh conditions
- » Choice of 0.63" O.D. standard plus 0.70" or 0.71" O.D. heavy duty
- » 0.70" O.D. tubing has 15% thicker wall for extra durability
- » Available in 2', 50', 100' and 500' lengths



T63-100

1/2" Tubing				
T71-100S	1/2" Tubing	100 Ft.	0.71" O.D.	Standard
T71-500S	1/2" Tubing	500 Ft.	0.71" O.D.	Standard
T70-2S	1/2" Tubing	2 Ft.	0.70" O.D.	Heavy Duty
T70-50S	1/2" Tubing	50 Ft.	0.70" O.D.	Heavy Duty
T70-100S	1/2" Tubing	100 Ft.	0.70" O.D.	Heavy Duty
T70-500S	1/2" Tubing	500 Ft.	0.70" O.D.	Heavy Duty
T63-050	1/2" Tubing	50 Ft.	0.63" O.D.	Standard
T63-100	1/2" Tubing	100 Ft.	0.63" O.D.	Standard
T63-500S	1/2" Tubing	500 Ft.	0.63" O.D.	Standard

1/2" EMITTER TUBING

- » Uniform watering for all plants
- » Built-in pressure compensating 0.9 GPH emitters with either 12" or 18" spacing
- » Clog-resistant, self-flushing emitter design
- » Healthier, greener growing results for shrubs, trees, ground cover and vegetable gardens

1/2" Emitter Tubing

ET63918-50	1/2" Emitter Tubing	18" Spacing	50 Ft.
ET63-100S	1/2" Emitter Tubing	18" Spacing	100 Ft.
ET7012100S	1/2" Emitter Tubing	12" Spacing	100 Ft.



ET63-100S





TUBING & FITTINGS

1/2" SUB-SURFACE EMITTER TUBING

- » Use above or below ground, 90% watering efficiency
- » Patented CopperShield™ emitter technology protects against root intrusion
- » 50' coil waters plants evenly with 33 pressure-compensating 0.9 GPH emitters spaced 18" apart
- » Ideal for organic gardens, shrub areas, ground cover

1/2" Emitter Tubing

SSF70-50S	1/2" Sub-Surface Emitter Tubing	50 Ft.	0.70" O.D.
-----------	--	--------	------------



1/2" UNIVERSAL EASY-FIT FITTINGS

- » Use with all brands of 1/2" – 5/8" O.D. drip tubing
- » Faster, more convenient way to make drip connections
- » Strong compression fitting avoids leaks
- » Works with any manufacturer's drip tubing from 16mm to 18 mm (1/2" to 5/8") OD

1/2" Universal Easy-Fit Fittings

EFC25-1PK EFC25-10SX	1/2" Universal Coupling	10 Pack
EFE25-1PK	1/2" Universal Elbow	
EFT25-1PK	1/2" Universal Tee	
EFBIGT/1S	1/2" Universal Spiked Tee	
EFCP-1PS	1/2" Universal Flush Cap	
EFPLUG/1S	1/2" Plug for Rain Bird® Universal Fittings	



Universal compression fittings work with all brands of 1/2" – 5/8" drip tubing.





TUBING & FITTINGS 1/2" COMPRESSION FITTINGS

- » Simple push-together assembly
- » Works with 0.710" O.D. drip tubing sizes

1/2" Universal Easy-Fit Fittings

CC710X	Compression Coupling	0.710" O.D.
CE710X	Compression Elbow	0.710" O.D.
CT710X	Compression Tee	0.710" O.D.
CEP710X	Compression End Cap	0.710" O.D.



1/2" BARBED FITTINGS

- » Barbed ends lock tubing for a secure, leak-proof connection
- » Works with manufacturer's drip tubing from 1/2" to 5/8" OD
- » For faster installation, use Insertion Tool FT/1PK50S (pg. 69)

1/2" Barbed Fittings

BC50-1S BC50/4PKS	1/2" Barbed Coupling	4 Pack
BE50/4PK	1/2" Barbed Elbow	4 Pack
BT50/4PK	1/2" Barbed Tee	4 Pack



1/2" TWIST LOCK FITTINGS


- » Removable for re-use
- » Works with 0.700" O.D. drip tubing sizes



1/2" Twist Lock Fittings

NEW	TLCX	Twist Lock Coupling	0.700" O.D.
NEW	TLEX	Twist Lock Elbow	0.700" O.D.





BVAL50-1S



PS50-1S




GS50/10PS



TC/1PKS



HPTCX



HPUN1-1S



FT/1PK50S



Use with 1/2" Tubing to allow easy flushing and draining of the system.

EC50/2PKS

TUBING & FITTINGS 1/2" TUBING STAKES & ACCESSORIES

1/2" Tubing Stakes & Accessories

BVAL50-1S	1/2" Tubing Shutoff Valve	
EC50/2PKS	1/2" Tubing Clamp	2 Pack
TC/1PKS	Tubing Cutter	
PS50-1S	Tubing Stake	Poly, 6-3/4" Length
GS50/10PS	Tubing Stakes	Galvanized Wire, 5-5/8" Length
FT/1PK50S	1/2" Barbed Fitting Insertion Tool	
HPUN1-1S	Hole Punch for Drippers & 1/4" Fittings	
NEW HPTCX	Hole Punch & Tubing Cutter	



TC/1PKS



HPTCX

EC50/2PKS



BVAL50-1S

GS50/10PS



PS50-1S

HPUN1-1S



FT/1PK50S



TUBING & FITTINGS 1/4" TUBING

- » Featuring exclusive Non-slip grip Gription™ technology for easier insertion of fittings in wet conditions
- » Self-dispensing wrap for easy installation
- » Choice of 50', 100' and 250' coil lengths

1/4" Tubing

T22-50	1/4" Tubing	50 Ft	Non-slip grip
T22-100S	1/4" Tubing	100 Ft	Non-slip grip
T22-250S	1/4" Tubing	250 Ft	Non-slip grip

T22-250S



1/4" EMITTER TUBING

- » With built-in 0.8 GPH emitters for easy installation
- » Ideal for ground cover, shrubs, larger containers and closely spaced plants
- » Choice of 6" or 12" emitter spacing

1/4" Emitter Tubing

ET256-50S	1/4" Emitter Tubing	50 Ft	6" Spacing
ET25-50S2	1/4" Emitter Tubing	50 Ft	12" Spacing

ET25-50S2





TUBING & FITTINGS

1/4" BARBED FITTINGS

- » Fast, simple connections
- » Use in-line to connect 1/4" tubing or pierce the side of 1/2" tubing to make branch tubing runs
- » Durable plastic, 0 to 50 psi operating range when used with polyethylene tubing

Use the patented Installation Tool for easiest connections in large drip systems.
ET/1PK25SX




BC25/10PS

BE25-10S

BT25/10PS

1/4" Barbed Fittings

BC25/10PS BC25-30PS	1/4" Barbed Coupling	10 Pack 30 Pack
BE25-10S	1/4" Barbed Elbow	10 Pack
BT25/10PS BT25-30PS	1/4" Barbed Tee	10 Pack 30 Pack



TS25/10PS

GS2510PSX



BVAL25-2S

TP25/10PS



ET/1PK25S

1/4" TUBING STAKES & ACCESSORIES

- » Professional grade installation tools and system accessories

1/4" Tubing Stakes & Accessories

BVAL25-2S	1/4" Shutoff Valve Allows shutting off a section of your system for repairs or to adjust flow
TP25/10PS TP25-30PK	1/4" Tubing Plug Also seal unused holes in 1/2" tubing - "goof plugs"
TS25/10PS	1/4" Tubing Stake , 10 Pack Used with 1/4" tubing and drippers
ET/1PK25S	Installation Tool Insert Drippers & 1/4" Fittings
NEW GS2510PSX	1/4" Tubing Stake Durable galvanized wire, 10 Pack

